



## **2024 RETAIL Price Book**

	INDEX	PAGE
	FDV200S Freestanding Stove	3-4
	FDV350 Freestanding Stove	5
	FDV451 Freestanding Stove	6-7
	ZCV3622 Zero Clearance Clean View Fireplace	8-9
	ZCVRB3622 Zero Clearance Clean View Fireplace	10-11
	ZCVRB47 Zero Clearance Clean View Fireplace	12-13
	ZCVRB60 Zero Clearance Fireplace	14-15
NEW	ZCVRB72 Zero Clearance Fireplace	16-17
	HBZDV3624 Zero Clearance Fireplace	18-19
	HBZDV3628 Zero Clearance Fireplace	20-21
	HBZDV4224 Zero Clearance Fireplace	22-23
	HBZDV4228 Zero Clearance Fireplace	24-25
	HBZDV4736 Zero Clearance Fireplace	26-27
	ZCV34/H Zero Clearance Clean View Fireplace	28-31
	ZCV39/H Zero Clearance Clean View Fireplace	32-35
	ZCV42/H Zero Clearance Clean View Fireplace	36-39
	MCVP42/H Multi-Sided Clean View Peninsula Fireplace	40-42
	MCVST42/H Multi-Sided Clean View See-Through Fireplace .	43-46
	IDV24 Fireplace Insert	47-48
	IDV26 Fireplace Insert	49-50
	IDV34 Fireplace Insert	51-52
	IDV44 Fireplace Insert	53-54
	4/7" Venting Accessories	55
	5/8" Venting Accessories	56
	5/8" Power Vent Accessories	57
	Literature	58
	Dealer Service Support Policy	END

**Special Order =** Model is not regularly stocked at AES. Please call for availability and allow extra time for delivery. **Limited =** Factory Discontinued Model. Availability is limited to supply on hand.

Effective: June 4th, 2024 Last Edited: May 1st, 2024

### KINGSMAN PRODUCTS PRICE LIST



## **KFFDV200S - Freestanding Direct Vent Gas Stoves**

Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/Off Switch, Leg Model, **Uses KFZDVDKA Adapter 4/7" Top Flue**, Safety Screen, 30,000 BTU NG, 26,000 BTU LP

Best Selling Package Retail

FDV200S Freestanding Stove Proflame 2, NG, Remote, Thermostat, Fan, Log Set and Refractory Liner (KFFDV200SNE2, KFLOGC200 and KFFDV200RL)

\$ 3,649.00

Item Code	Item Name	Ship Weight	<b>Retail Price</b>	Stocked	
<b>Unit Body (Requ</b>	uired)				
KFFDV200SN	Free Standing Stove - Millivolt - NG - Black	N/A	\$ 2,361.00	N	
KFFDV200SLP	Free Standing Stove - Millivolt - LP - Black	N/A	\$ 2,415.00	N	
KEED//300CNE3	Free Standing Stove - Proflame 2 IPI - Includes-	N/A	\$ 3,105.00	N	
KFFDV200SNE2	Remote-Thermostat-Mod-Fan - NG	IN/A	\$ 5,105.00	IN	
VEED//20001 DE2	Free Standing Stove - Proflame 2 IPI - Includes-	NI/A	¢ 2.1E0.00	N	
KFFDV200SLPE2	Remote-Thermostat-Mod-Fan - LP	N/A	\$ 3,159.00	IN	
KF200DVCKLP	Conversion Kit - Millivolt - To LP	N/A	\$ 87.00	N	
KF200DVCKNG	Conversion Kit - Millivolt - To NG	N/A	\$ 87.00	N	
KF200DVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	N/A	\$ 188.00	N	
KF200DVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To NG	N/A	\$ 188.00	N	
Log Set (Require	ed)				
KFLOGC200	Log Set - Five Piece Cast Split Oak LIMITED TO STOCK ON HAND	N/A	\$ 307.00	N	
KFLOGF200	Log Set - Five Piece Fiber Split Oak	N/A	\$ 316.00	Υ	
<b>Optional Access</b>	Optional Accessories				
KFF45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)	6 lbs.	\$ 354.00	Υ	
KFFDV200RL	Refractory Liner	N/A	\$ 237.00	N	
KFZDVDKA	Dura-Vent Adapter	2 lbs.	\$ 76.00	Υ	

KFFDV200S	- Freestanding Direct Vent Gas Stoves			
Item Code	Item Name	Ship Weight	Retail Price	Stocked
Thermostats, Re	mote Controls			
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	Υ
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 169.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	#N/A	CATALOG	Υ
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 295.00	Υ
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 419.00	Υ
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 419.00	Υ
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 208.00	N

# **KFFDV350 - Freestanding Direct Vent Gas Stoves**

Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Fan, Bay Viewing Area, Black Louver, Adjustable SIT Valve, **Uses KFZDVDKA Adapter, 4/7" Top Flue**, 37,000 BTU NG, 35,000 BTU LP

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit Body (Requ	ıired)			
KFFDV350N	Free Standing Stove - Millivolt - NG	120 lbs.	\$ 2,050.00	Υ
KFFDV350LP	Free Standing Stove - Millivolt - LP	120 lbs.	\$ 2,122.00	N
KFFDV350NE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	130 lbs.	\$ 3,165.00	N
KFFDV350LPE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	130 lbs.	\$ 3,238.00	N
KF350DVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF350DVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF350DVCKLPI2	Conversion Kit - IPI Proflame 2 - To LP	1 lbs.	\$ 188.00	N
KF350DVCKNGI2	Conversion Kit - IPI Proflame 2 - To NG	1 lbs.	\$ 188.00	N
<b>Door Front (Req</b>	uired)			
KFF35DB	Door Frame and Ceramic Glass - Black	15 lbs.	\$ 700.00	Υ
Log Set (Require	ed)			
KFLOGF35	Log Set - Fiber Split Oak	12 lbs.	\$ 403.00	Υ
Accessories				
KFF45FK	Fan Kit - PF1/MV w/Variable Speed Control (Temperature Sensing)	6 lbs.	\$ 354.00	Υ
KFF35RL	Refractory Liner	12 lbs.	\$ 184.00	Υ
KFZDVDKA	Dura-Vent Adapter	2 lbs.	\$ 76.00	Υ
KFF35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	1 lbs.	\$ 260.00	N
Thermostats an	d Remote Controls			
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	Υ
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 169.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	#N/A	CATALOG	Υ
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 295.00	Υ
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 419.00	Υ
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 419.00	Υ
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 208.00	N

# KFFDV451 - Freestanding Direct Vent Gas Stoves

Freestanding Direct Vent Gas Stove, Listed for USA/Canada as a Gas Fired Direct Vent Room Heater, Includes Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/Off Switch, Efficiency above 70% NG/LP, Safety Screen Barrier, Approved for Mobile Home (Direct Vent Model Only), Approved for Bedroom or Bed Sitting Room

### Uses KFZDVDKA Adapter, 4/7" Inch Top Flue

Best Selling Package	Retail
FDV451 Freestanding Stove Proflame 2, NG, Charcoal Door Front, Flat Black Posts and Charcoal	ć 4.27F.00
Side Doors (KFFDV451NE2, KFF450FBL, KFF451SDSBL and KFLOGF451)	\$ 4,375.00

Item Code	Item Name	Ship Weight	<b>Retail Price</b>	Stocked
<b>Unit Body (Requi</b>	red)			
KFFDV451N	Freestanding Stove - Millivolt - 34,500 BTU for NG - Charcoal	125 lbs.	\$ 1,960.00	N
KFFDV451LP	Freestanding Stove - Millivolt - 31,000 BTU for LP - Charcoal	125 lbs.	\$ 2,032.00	N
KFFDV451NE2	Free Standing Stove - Proflame 2 IPI -	125 lbs.	¢ 2.071.00	Y
KFFDV451NE2	Includes Remote-Thermostat-Mod-Fan - NG	125 108.	\$ 3,071.00	Y
KFFDV451LPE2	Free Standing Stove - Proflame 2 IPI -	125 lbs.	\$ 3,144.00	N
KIT DV451LFL2	Includes Remote-Thermostat-Mod-Fan - LP	123 103.	\$ 3,144.00	IN
KF450DVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF450DVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF450DVCKLP2	Conversion Kit - IPI Proflame 2 - To LP	1 lbs.	\$ 188.00	Υ
KF450DVCKNG2	Conversion Kit - IPI Proflame 2 - To NG	1 lbs.	\$ 188.00	N
<b>Door Fronts (Req</b>	uired for Each Unit)			
KFF450FBL	Door Face & Vent Lid - Charcoal w/Flat Black Posts & Safety Screen	32 lbs.	\$ 511.00	Υ
KFF450FSS	Door Face & Vent Lid - Charcoal w/Stainless Posts & Safety Screen	32 lbs.	¢ 722.00	V
KFF45UF35	LIMITED TO STOCK ON HAND	32 105.	\$ 732.00	Υ
Side Doors (Requ	ired for Each Unit)			
KFF451SDSBL	Charcoal Solid Panel w/Black Frame	23 lbs.	\$ 329.00	Υ
Media (1 Require	ed for Each Unit)			
KFLOGF451	Log Set - Oak	9 lbs.	\$ 464.00	Υ
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs. (Maximum Glass 15 lbs.)	5 lbs.	\$ 102.00	Υ
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 376.00	Υ
Accessories				
KFF45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)	6 lbs.	\$ 354.00	Υ
KFF451RLT	Refractory Liner - Traditional	10 lbs.	\$ 387.00	N
KFF451RLH	Refractory Liner - Herringbone	10 lbs.	\$ 387.00	N
KFF451PL	Porcelain Liner - 3 Piece	13 lbs.	\$ 442.00	N
KFF7DBC	Decorative Black Collar 7"	2 lbs.	\$ 39.00	N
KFF7DTP	Decorative Black Wall Trim Plate	4 lbs.	\$ 41.00	N
KFF45LG	Log Grate	1.2 lbs.	\$ 128.00	N
KFF35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	N/A	\$ 260.00	N
KFZDVDKA	Dura-Vent Adapter	2 lbs.	\$ 76.00	Υ
Thermostats and	Remote Controls			
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	Υ

### **KFFDV451 - Freestanding Direct Vent Gas Stoves Ship Weight Item Code Item Name Retail Price** Stocked **Thermostats and Remote Controls** KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount (1F80-40) \$ 169.00 0.5 lbs. Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) CATALOG Υ #N/A KFGTRC Remote Control Millivolt - Thermostat 1 lbs. 295.00 Υ KFGTMRCN Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ \$ KFGTMRCP Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. 419.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire KFWMBH \$ 208.00 Ν 1 lbs. Harness

# KFZCV3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada, Includes: Tempered Glass, Tube Burner, SIT Valve w/ Hi/Lo Adjustment, Wall Switch, Safety Screen, Uses KFZDVDFA/ICTM4AA4 Adapters, 4/7" Angled Flue, Framing 36 3/8" W x 37 1/4" H x 17 1/2"D

For Complete Unit: Order Unit and Log Set

Basic Package	Retail
ZCV3622 Fireplace IPI, NG and Log Set (KFZCV3622NE, KFLOGC51) (Suggested Remote	¢ 3.100.00
ST1001A)	\$ 2,199.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFZCV3622N	Fireplace, Millivolt Valve (as above) NG, 21,000 BTU	94 lbs.	\$ 1,664.00	Υ
KFZCV3622LP	Fireplace, Millivolt Valve (as above) LP 21,000 BTU	94 lbs.	\$ 1,735.00	Υ
KFZCV3622NE	Fireplace, IPI Valve (as above) NG, 21,000 BTU LIMITED TO STOCK ON HAND	94 lbs.	\$ 1,976.00	Υ
KFZCV3622LPE	Fireplace, IPI Valve (as above) LP 21,000 BTU LIMITED TO STOCK ON HAND	94 lbs.	\$ 2,047.00	Υ
KFZCV3622NEDX	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) NG <b>WILL NOT SHIP UNTIL SIT IPI STOCK IS DEPLETED (KFZCV3622NE)</b>	94 lbs.	\$ 1,976.00	Υ
KFZCV3622LPEDX	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) LP <b>WILL NOT SHIP UNTIL SIT IPI STOCK IS DEPLETED (KFZCV3622LPE)</b>	94 lbs.	\$ 2,047.00	Υ
KF3622CKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF3622CKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF3622CKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF3622CKNGI	Conversion Kit - IPI - To NG	0.4 lbs.	\$ 102.00	N
KF3622CKLPIDX	Conversion Kit - <b>Dexen</b> IPI- To LP	1 lbs.	\$ 102.00	N
KF3622CKNGIDX	Conversion Kit - <b>Dexen</b> IPI - To NG	1 lbs.	\$ 102.00	N
Log Set (Require	d for Each Unit)			
KFLOGC51	Log Set - Split Oak (ZCV3622)	8 lbs.	\$ 223.00	Υ
Surround				
KFZCV36S1BL	Surround - Black - Coverage 34 1/16" H x 39" W - Covers Framing Dimensions - Unit Must be Installed Flush to Wall	12 lbs.	\$ 272.00	N
KFZCV36SWFBL	Flat Surround - Black - Covers Framing Dimensions of Solara II - Clean View - Unit Must be Finished Flush to Drywall	N/A	\$ 427.00	Υ

#### KFZCV3622 - Zero Clearance Clean View Direct Vent Gas Fireplace Ship Weight **Item Name Retail Price Item Code** Stocked **Accessories/Options** KFZCV3622PRL Porcelain Reflective Panel Liner (3 PCE) 7.5 lbs. 297.00 \$ Υ KFZCV3622ML Metal Brick Liner (3 PCE) 4 lbs. \$ 220.00 Υ \$ KFZ36FK Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) 5 lbs. 348.00 Υ KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. \$ 108.00 Υ KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount (1F80-40) 0.5 lbs. \$ 169.00 Ν **KFDCHS** Heat Shield - Required for Millivolt Remote Receivers 1 lbs. \$ 21.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ Υ KFGTRC Remote Control Millivolt - Thermostat 1 lbs. \$ 295.00 Remote Control Millivolt - Thermostat/Modulating - NG **KFGTMRCN** 1 lbs. \$ 419.00 Υ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Υ Remote Control Millivolt - Thermostat/Modulating/Fan - NG KFGTFRCN 1.3 lbs. \$ 666.00 Υ \$ Υ **KFEGTRC** Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. 348.00 Remote Control IPI Proflame 1 - Thermostat/Modulating - NG \$ 473.00 Υ **KFEGTMRCN** 1.3 lbs. Remote Control IPI Proflame 1 - Thermostat/Modulating - LP \$ Υ **KFEGTMRCP** 1.3 lbs. 473.00 Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness **KFGTRCDX** Remote Control - Thermostat - Dexen #N/A \$ 303.00 Ν KF1023PBSW1 Toggle Switch for **Dexen** - Toggle Between AC Power and Battery Backup #N/A \$ 21.00 Ν KF1023P055L Cold Climate Switch (CPI/IPI) for Dexen N/A \$ 72.00 Ν **KFZDVDFA** Duravent Fireplace Adapter - 23.5 Degree 2.5 lbs. \$ 119.00 Υ ICTM4AA4 ICC Angled Adapter 2 lbs. \$ 189.00 Υ **Decorate the Bottom of Your Fireplace with Log Bits** \$ KFVLBIT6 Log Bits - Small Six Piece Kit 2 lbs. 125.00 Υ

## KFZCVRB3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Decorative Bronze Glass, SIT Valve with Hi/Lo Adjustment, Wall Switch, **Uses KFZDVDFA/ICTM4AA4 Adapters, 4/7" Angled Flue**, Tempered Glass, Safety Screen, 17,500 BTU, Framing 36 3/8" W x 37 1/4" H x 17 1/2"

For Complete Unit: Order Unit and Surround

Basic Package	Re	etail
ZCVRB3622 Fireplace Dexen IPI, NG and Bronze Glass (KFZCVRB3622NEDX) (Suggested	Ċ 2	122.00
Remote ST1001A)	ŞΖ	,122.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFZCVRB3622N	Fireplace Linear, Millivolt Valve (as above) NG	97 lbs.	\$ 1,806.00	Υ
KFZCVRB3622LP	Fireplace Linear, Millivolt Valve (as above) LP	97 lbs.	\$ 1,880.00	N
KFZCVRB3622NE	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) NG	97 lbs.	\$ 2,122.00	Υ
KFZCVRB3622LPE	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) LP	97 lbs.	\$ 2,196.00	N
KF3622RBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF3622RBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF3622RBCKLPIDX	Conversion Kit - <b>Dexen</b> IPI- To LP	#N/A	\$ 102.00	N
KF3622RBCKNGIDX	Conversion Kit - <b>Dexen</b> IPI - To NG	#N/A	\$ 102.00	N
Surround (Covers	s 36"W x 22-1/2"H)			
The fireplace must b	e covered up to an 1/8" of the opening with noncombustible materials.			
KFZCVRB36SBL	Surround Trim Kit -1 1/2" Wide - Black	13 lbs.	\$ 387.00	Υ
KFZCVRB36SSS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	10 lbs.	\$ 644.00	Y
KFZCVRB36SWFBL	Flat Surround - Covers Framing Dimensions of Skyline - Clean View - Unit Must be Finished Flush to Drywall	N/A	\$ 427.00	Υ

#### KFZCVRB3622 - Zero Clearance Clean View Direct Vent Gas Fireplace **Item Code Item Name Ship Weight** Retail Price Stocked **Accessories/Options** KFULK2 Universal Light Kit - Two Lamps 5 lbs. \$ 295.00 Υ KFZ3622PRL Porcelain Reflective Panel Liner (3 PCE) 10 lbs. \$ 297.00 Υ KFZ36FK Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) 5 lbs. \$ 348.00 Υ Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. \$ 108.00 Υ KFZ2MT KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount (1F80-40) 0.5 lbs. \$ 169.00 Ν **KFDCHS** Heat Shield - Required for Millivolt Remote Receivers 1 lbs. \$ 21.00 Ν Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) ST1001A #N/A CATALOG Υ **KFGTRC** Remote Control Millivolt - Thermostat 1 lbs. 295.00 Υ \$ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness Remote Control - Thermostat - Dexen **KFGTRCDX** #N/A \$ 303.00 Ν KF1023PBSW1 Toggle Switch for Dexen - Toggle Between AC Power and Battery Backup #N/A \$ 21.00 Ν \$ Cold Climate Switch (CPI/IPI) for Dexen N/A KF1023P055L 72.00 Ν KFZDVDFA Duravent Fireplace Adapter - 23.5 Degree 2.5 lbs. \$ Υ 119.00 ICTM4AA4 **ICC Angled Adapter** 2 lbs. \$ 189.00 Υ

## KFZCVRB47 Zero Clearance Direct Vent Gas Fireplace 47" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **Uses KFZDVDKA Adapter, 4/7" Top Flue**, Tempered Glass 40 5/8 W x 13 7/8" H, Safety Screen, Framing 47" W x 36 1/2" H x 18 1/4" D,

23,000 BTU, Max Media 5 LBS

The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 105 Sq./Inches will be required. Minimum Enclosure Height is 70", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.

Basic Package			Retail	
ZCVRB47 Fireplace IPI, NG, Bronze Glass and Front Grill (KFZCVRB47NE and KFV46EG)				
(Suggested Remote	e ST1001A)		\$ 3,961.00	
Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit		, ,		
KFZCVRB47N	Fireplace Linear, Millivolt Valve (as above) NG	N/A	\$ 3,461.00	Υ
KFZCVRB47LP	Fireplace Linear, Millivolt Valve (as above) LP	N/A	\$ 3,518.00	N
KFZCVRB47NE	Fireplace Linear, IPI Valve (as above) NG	N/A	\$ 3,763.00	Υ
KFZCVRB47LPE	Fireplace Linear, IPI Valve (as above) LP	N/A	\$ 3,819.00	N
KF46ZRBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	N
KF46ZRBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF46ZRBCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF46ZRBCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
<b>Optional - When</b>	Note: Nentilating Enclosure - Ventilation up to 105 Sq. Inches			
CHOOSE GRILL OR	CUSTOM GRILL OR ADEQUATE OPENING AS PER MANUAL			
KFVL60EGS	Grill - Side Enclosure (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	N/A	\$ 336.00	N
KFV46EG	Grill - Front of Enclosure - Unfinished (46 9/16" W x 2 1/2" H)	14 lbs.	\$ 198.00	Υ
<b>Optional Wall S</b>	urround (Covers 44 5/8"W X 17 3/4"H)			
KFZCVRB47S1BL	Surround Trim Kit -1 1/2" Wide - Black	N/A	\$ 387.00	Υ
KFZCVRB47S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	N/A	\$ 644.00	N
<b>Optional Firepla</b>	ace Accessories			
KFZCVRB47PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$ 411.00	Υ
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Υ
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFULK2	Universal Light Kit - Two Lamps (For Millivolt/PF1)	5 lbs.	\$ 295.00	Υ
KFV47PTLK	Tile Lip Kit	N/A	\$ 69.00	N
KFZDVDKA	Dura-Vent Adapter	N/A	\$ 76.00	Υ

#### KFZCVRB47 Zero Clearance Direct Vent Gas Fireplace 47" Wide **Item Code Item Name Ship Weight Retail Price** Stocked **Thermostats and Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 \$ 108.00 1 lbs. Υ KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ **KFGTRC** Remote Control Millivolt - Thermostat 1 lbs. \$ 295.00 Υ Υ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG \$ 419.00 1 lbs. 1 lbs. \$ 419.00 **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP Υ Remote Control Millivolt - Thermostat/Modulating/Fan - NG \$ Υ **KFGTFRCN** 1.3 lbs. 666.00 **KFGTFRCP** Remote Control Millivolt - Thermostat/Modulating/Fan - LP \$ Υ 1.3 lbs. 666.00 KFEGTRC \$ Υ Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. 348.00 KFEGTMRCN Remote Control IPI Proflame 1 - Thermostat/Modulating - NG \$ 473.00 Υ 1.3 lbs. Remote Control IPI Proflame 1 - Thermostat/Modulating - LP \$ Υ **KFEGTMRCP** 1.3 lbs. 473.00 \$ **KFEGTFRCN** Remote Control IPI - Thermostat/Modulating/Fan - NG 1.3 lbs. 699.00 Υ \$ Υ KFEGTFRCP 699.00 Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness

# KFZCVRB60 Zero Clearance Direct Vent Gas Fireplace 60" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **5/8" Angled Flue**, Tempered Glass 60" W x 17 7/8" H, Safety Screen, Framing 66 9/16"" W x 43" H x 19 1/4" D, 35,000 BTU, Max Media 10 LBS

The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 200 Sq./Inches will be required. Minimum Enclosure Height is 76", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.

Basic Package			Retail	
ZCVRB60 Fireplace I	PI, NG, Bronze Glass and Front Grill (KFZCVRB60NE and KFVL60EG)		\$ 4,849.00	
(Suggested Remote	ST1001A)		Ş 4,843.00	
Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFZCVRB60N	Fireplace Linear, Millivolt Valve (as above) NG	N/A	\$ 4,248.00	N
KFZCVRB60LP	Fireplace Linear, Millivolt Valve (as above) LP	N/A	\$ 4,312.00	N
KFZCVRB60NE	Fireplace Linear, IPI Valve (as above) NG	N/A	\$ 4,540.00	Υ
KFZCVRB60LPE	Fireplace Linear, IPI Valve (as above) LP	N/A	\$ 4,595.00	N
KF60ZCVRBCKLP	Conversion Kit - Millivolt - To LP	N/A	\$ 87.00	N
KF60ZCVRBCKNG	Conversion Kit - Millivolt - To NG	N/A	\$ 87.00	N
KF60ZCVRBCKLPI	Conversion Kit - IPI - To LP	N/A	\$ 102.00	N
KF60ZCVRBCKNGI	Conversion Kit - IPI - To NG	N/A	\$ 102.00	N
<b>Optional - When</b>	Ventilating Enclosure - Ventilation up to 200 Sq./Inches			
CHOOSE GRILL OR C	USTOM GRILL OR ADEQUATE OPENING AS PER MANUAL			
KFVL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	N/A	\$ 336.00	N
KFVL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	N/A	\$ 309.00	Υ
<b>Optional Wall Su</b>	rround (COVERS 64"W X 23"H)			
KFZCVRB60S1BL	Surround Trim Kit -1 1/2" Wide - Black	N/A	\$ 693.00	Υ
KFZCVRB60S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	N/A	\$ 957.00	N
<b>Optional Fireplac</b>	ce Accessories			
KFZCVRB60PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$ 512.00	Υ
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Υ
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFULK64	Universal Light Kit - Four Lamps (For Millivolt/PF1)	N/A	\$ 491.00	N
KFULK2	Universal Light Kit - Two Lamps (For Millivolt/PF1)	5 lbs.	\$ 295.00	Υ
KFV60PTLK	Tile Lip Kit for Promat Board	N/A	\$ 87.00	Υ

#### KFZCVRB60 Zero Clearance Direct Vent Gas Fireplace 60" Wide Item Code **Item Name Ship Weight Retail Price** Stocked **Thermostats and Remote Controls** Thermostat Digital - Vertical Wall Mount - MV/PF1 KFZ2MT 1 lbs. \$ 108.00 KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A Υ CATALOG Remote Control Millivolt - Thermostat **KFGTRC** 1 lbs. 295.00 Υ \$ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ \$ Υ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. 419.00 **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. \$ 666.00 Υ KFGTFRCP Remote Control Millivolt - Thermostat/Modulating/Fan - LP \$ Υ 1.3 lbs. 666.00 \$ **KFEGTRC** Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. 348.00 Υ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. \$ 473.00 Υ KFEGTMRCP Remote Control IPI Proflame 1 - Thermostat/Modulating - LP \$ 473.00 Υ 1.3 lbs. \$ **KFEGTFRCN** Remote Control IPI - Thermostat/Modulating/Fan - NG 1.3 lbs. 699.00 Υ \$ **KFEGTFRCP** Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. 699.00 Υ Ś KFWMBH Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire 1 lbs. 208.00 Ν

## KFZCVRB72 Zero Clearance Direct Vent Gas Fireplace 72" Wide

Basic Package

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **5/8" Top Flue**, Ceramic Glass 73 1/16" W x 17 7/8" H, Invisi-Mesh Safety Screen, Framing 79 1/8" W x 42" H x 19" D (unvented chase),
50,000 BTU

Note: If using ICC hard pipe, a starter piece of Duravent must be used at flue of fireplace

The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Minimum ventilation of 285 sq. inches is required. Minimum Enclosure Height is 79", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.

Retail

·		\$ 8,128.00	
ST1001A)		. ,	
Hom Nome	Chin Maight	Datail Drice	Ctoolsod
item Name	Snip weight	Retail Price	Stocked
Fireplace Linear, Millivolt Valve (as above) NG NEW	N/A		N
Fireplace Linear, Millivolt Valve (as above) LP <b>NEW</b>	N/A	\$ 7,552.00	N
Fireplace Linear, IPI Valve (as above) NG NEW	N/A	\$ 7,780.00	N
Fireplace Linear, IPI Valve (as above) LP <b>NEW</b>	N/A	\$ 7,835.00	N
Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	N
Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	N
Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
Ventilating Enclosure - Ventilation up to 285 Sq./Inches			
USTOM GRILL OR ADEQUATE OPENING AS PER MANUAL			
Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W x 9" H)	N/A	\$ 348.00	N
Grill - Front for Enclosure - Unfinished (78 5/8" W x 3 5/8" H)	N/A	\$ 348.00	N
rround (COVERS 64"W X 23"H)			
Surround Trim Kit -1 1/2" Wide - Black	N/A	\$ 800.00	N
Surround Trim Kit - 1 1/2" Wide - Stainless Steel	N/A	\$ 1,196.00	N
ce Accessories			
Porcelain Reflective Panel Liner (5 PCE)	N/A	\$ 660.00	N
Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Y
Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 324.00	Y
Universal Light Kit - Four Lamps (For Millivolt/PF1)	N/A	\$ 491.00	N
Tile Lip Kit for Promat Board	N/A	\$ 117.00	N
	Fireplace Linear, IPI Valve (as above) NG NEW  Fireplace Linear, IPI Valve (as above) LP NEW  Conversion Kit - Millivolt - To LP  Conversion Kit - Millivolt - To NG  Conversion Kit - IPI - To LP  Conversion Kit - IPI - To NG  Ventilating Enclosure - Ventilation up to 285 Sq./Inches  USTOM GRILL OR ADEQUATE OPENING AS PER MANUAL  Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W x 9" H)  Grill - Front for Enclosure - Unfinished (78 5/8" W x 3 5/8" H)  rround (COVERS 64"W X 23"H)  Surround Trim Kit -1 1/2" Wide - Black  Surround Trim Kit -1 1/2" Wide - Stainless Steel  ce Accessories  Porcelain Reflective Panel Liner (5 PCE)  Cannonballs - Assorted size and colors  Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)  Universal Light Kit - Four Lamps (For Millivolt/PF1)	Fireplace Linear, Millivolt Valve (as above) NG NEW  Fireplace Linear, Millivolt Valve (as above) LP NEW  Fireplace Linear, Millivolt Valve (as above) LP NEW  N/A  Fireplace Linear, IPI Valve (as above) LP NEW  N/A  Conversion Kit - Millivolt - To LP  1 lbs.  Conversion Kit - Millivolt - To NG  1 lbs.  Conversion Kit - IPI - To LP  1 lbs.  Conversion Kit - IPI - To NG  Ventilating Enclosure - Ventilation up to 285 Sq./Inches  USTOM GRILL OR ADEQUATE OPENING AS PER MANUAL  Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W x 9" H)  N/A  Grill - Front for Enclosure - Unfinished (78 5/8" W x 3 5/8" H)  Surround (COVERS 64"W X 23"H)  Surround Trim Kit - 1 1/2" Wide - Black  Surround Trim Kit - 1 1/2" Wide - Stainless Steel  Porcelain Reflective Panel Liner (5 PCE)  Cannonballs - Assorted size and colors  Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)  5 lbs.  Universal Light Kit - Four Lamps (For Millivolt/PF1)  N/A	Fireplace Linear, Millivolt Valve (as above) NG NEW Fireplace Linear, Millivolt Valve (as above) LP NEW Fireplace Linear, Millivolt Valve (as above) LP NEW Fireplace Linear, IPI Valve (as above) NG NEW Fireplace Linear, IPI Valve (as above) NG NEW Fireplace Linear, IPI Valve (as above) LP NEW N/A \$ 7,780.00 Fireplace Linear, IPI Valve (as above) LP NEW N/A \$ 7,835.00  Conversion Kit - Millivolt - To LP 1 lbs. \$ 87.00 Conversion Kit - Millivolt - To NG 1 lbs. \$ 87.00 Conversion Kit - IPI - To LP 1 lbs. \$ 102.00 Conversion Kit - IPI - To NG 1 lbs. \$ 102.00  Ventilating Enclosure - Ventilation up to 285 Sq./Inches USTOM GRILL OR ADEQUATE OPENING AS PER MANUAL Grill - Enclosure Side (Pair) - Unfinished (78 5/8" W x 9" H) Surround COVERS 64"W X 23"H) Surround Trim Kit - 1 1/2" Wide - Black Surround Trim Kit - 1 1/2" Wide - Stainless Steel Porcelain Reflective Panel Liner (5 PCE) Cannonballs - Assorted size and colors Fin Kit w/Variable Speed Wall Mount Control (Temperature Sensing) 5 lbs. \$ 324.00 Universal Light Kit - Four Lamps (For Millivolt/PF1) N/A \$ 491.00

#### KFZCVRB72 Zero Clearance Direct Vent Gas Fireplace 72" Wide Item Code **Item Name Ship Weight Retail Price** Stocked **Thermostats and Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. \$ 108.00 Υ KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) CATALOG N/A Υ KFGTRC Remote Control Millivolt - Thermostat 1 lbs. 295.00 Υ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG \$ 419.00 Υ 1 lbs. \$ 419.00 **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. Υ \$ Υ **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 666.00 1.3 lbs. **KFGTFRCP** Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 666.00 Υ KFEGTRC Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ 348.00 Υ Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. \$ 473.00 **KFEGTMRCN** Υ KFEGTMRCP Remote Control IPI Proflame 1 - Thermostat/Modulating - LP \$ 473.00 Υ 1.3 lbs. \$ KFEGTFRCN Remote Control IPI - Thermostat/Modulating/Fan - NG 1.3 lbs. 699.00 Υ \$ **KFEGTFRCP** Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. 699.00 Υ \$ KFWMBH Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire 1 lbs. 208.00 Ν

# KFHBZDV3624 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, Safety Screen, Framing 36 3/8" W x 35" H x 17" D, Uses KFZDVDFA/ICTM4AA4 Adapter, 4"/7" Angled Flue

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

Best Selling Package	Retail
HBZDV3624 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Liner and Fan	
Kit (KFHBZDV3624N, KFLOGC44, KFHB36CVCK, KFHB36RLT and KFZ36FK) (Suggested Remote	\$ 3,037.00

ST1001A)

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit	Tem Nume	Ship weight	Retail Trice	Stocked
KFHBZDV3624N	Fireplace Decorative Top Flue, Millivolt, NG, 24,000 BTU	98 lbs.	\$ 1,824.00	Υ
KF3624HBCKLP	Conversion Kit-From NG to LP	1 lbs.	\$ 1,824.00	Y
KFHBZDV3624NE	Fireplace Decorative Top Flue, IPI, NG, 24,000 BTU	98 lbs.	\$ 2,135.00	Y
KF3624HBCKLPI	Conversion Kit-From NG to LP IPI	1 lbs.	\$ 2,133.00	Y
		1 103.	Ç 102.00	·
Log Set (Require	·			
KFLOGC42	Log Set - Four Piece - Classic Oak (3320, 3624/28, 4224/28 Series)  LIMITED TO STOCK ON HAND	14 lbs.	\$ 201.00	Υ
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 202.00	Υ
<b>Grill Kit or Design</b>	ner Clean View Kit (Required for Each Unit)			
KFHB36CVCK	Designer Clean View Circulating Kit	18 lbs.	\$ 391.00	Υ
KFHB36GBL	Grill Kit - Black	4.5 lbs.	\$ 98.00	Υ
Accessories/Opti	ions			
KFHB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 272.00	Υ
KFHB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 272.00	Υ
KFHB36PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 447.00	N
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFZDVDFA	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 119.00	Υ
ICTM4AA4	ICC Angled Adapter	2 lbs.	\$ 189.00	Υ
KFDCHS	Remote Control Heat shield - (For Z1RC, ZART)	1 lbs.	\$ 21.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	Υ
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 169.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	#N/A	CATALOG	Υ
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 295.00	Υ
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 419.00	Υ
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 419.00	Υ
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 666.00	Υ
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 666.00	Υ
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 348.00	Υ

KFHBZDV3624 - Zero Clearance Direct Vent Gas Fireplace				
Item Code	Item Name	Ship Weight	<b>Retail Price</b>	Stocked
Accessories/O	ptions			
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 473.00	Υ
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 473.00	Υ
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 699.00	Υ
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 699.00	Υ
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 208.00	N
<b>Decorative Sur</b>	rrounds - For Louvered Units Only (Coverage 41 1/8"W x 35 1/2"H	)		
KFHB36SBL	Surround - Black	5 lbs.	\$ 272.00	N
Decorate the E	Bottom of your Fireplace with Log Bits			
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 125.00	Y

# KFHBZDV3628 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Includes: Dual Burner, Millivolt Nova SIT with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screen, Framing 36 3/8" W x 35" H x 17" D, Uses KFZDVDFA/ICTM4AA4 Adapter, 4"/7" Angled Flue

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

Best Selling Package	Retail
HBZDV3628 Fireplace IPI, NG, Burnt Oak Log Set, Clean View Kit, Traditional Liner and Fan Kit	

(KFHBZDV3628NE, KFLOGC44, KFHB36CVCK, KFHB36RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 4,097.00

Item Code	Item Name	Ship Weight	<b>Retail Price</b>	Stocked
Unit				
KFHBZDV3628N	Fireplace Heater Rated Top Flue, Millivolt, NG, Ceramic Glass, 28,000 BTU @ 75% Efficient. Approved for Bedroom and Mobile Home	98 lbs.	\$ 2,571.00	N
KF3628HBCKLP	Conversion Kit-From NG to LP	1 lbs.	\$ 87.00	Υ
KFHBZDV3628NE	Fireplace Heater Rated Top Flue, IPI, NG, Ceramic Glass, 28,000 BTU @ 75% Efficient. Approved for Bedroom and Mobile Home	98 lbs.	\$ 2,884.00	N
KF3628HBCKLPI	Conversion Kit-From NG to LP IPI	1 lbs.	\$ 102.00	Υ
Log Set (Require	d for Each Unit)			
KFLOGC42	Log Set - Four Piece - Classic Oak (3320, 3624/28, 4224/28 Series)  LIMITED TO STOCK ON HAND	14 lbs.	\$ 201.00	Υ
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 202.00	Υ
<b>Grill Kit or Desig</b>	ner Clean View Kit (Required for Each Unit)			
KFHB36CVCK	Designer Clean View Circulating Kit	18 lbs.	\$ 391.00	Υ
KFHB36GBL	Grill Kit - Black	4.5 lbs.	\$ 98.00	Υ
Accessories/Opt	ions			
KFHB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 272.00	Υ
KFHB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 272.00	Υ
KFHB36PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 447.00	N
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFZDVDFA	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 119.00	Υ
ICTM4AA4	ICC Adapter	2 lbs.	\$ 189.00	Υ
Accessories/Opt	ions			
KFDCHS	Remote Control Heat Shield - (For Z1RC, ZART)	1 lbs.	\$ 21.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	N
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 169.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	#N/A	CATALOG	Υ
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 295.00	Υ
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 419.00	Υ
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 419.00	Υ
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 666.00	Υ
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 666.00	Υ

#### KFHBZDV3628 - Zero Clearance Direct Vent Gas Fireplace **Item Name Item Code Ship Weight Retail Price** Stocked Accessories/Options KFEGTRC Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ 348.00 Υ Remote Control IPI Proflame 1 - Thermostat/Modulating - NG \$ **KFEGTMRCN** 473.00 Υ 1.3 lbs. \$ KFEGTMRCP Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 473.00 1.3 lbs. Υ KFEGTFRCN Remote Control IPI - Thermostat/Modulating/Fan - NG 1.3 lbs. 699.00 Υ KFEGTFRCP Remote Control IPI - Thermostat/Modulating/Fan - LP \$ 699.00 Υ 1.3 lbs. Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire KFWMBH \$ 1 lbs. 208.00 Ν Surrounds - For Louvered Units Only (Coverage 41 1/8"W x 35 1/2"H) Surround - Black 5 lbs. \$ 272.00 KFHB36SBL Ν Decorate the Bottom of your Fireplace with Log Bits Log Bits - Small Six Piece Kit KFVLBIT6 2 lbs. \$ 125.00 Υ

# KFHBZDV4224 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, Safety Screen, Framing 42 3/8" W x 37 1/4" H x 17" D, Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7" Angled Flue

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

Best Selling Package	Retail
HRZDV/4224 Firenlace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Brick Liner	

HBZDV4224 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4224N, KFLOGC44, KFHB42CVCK, KFHB42RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 3,395.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFHBZDV4224N	Fireplace Decorative Top Flue, Millivolt, NG, 24,000 BTU	113 lbs.	\$ 2,103.00	Υ
KFHBZDV4224NE	Fireplace Decorative Top Flue, IPI, NG, 24,000 BTU (In California Only)	113 lbs.	\$ 2,415.00	Υ
KF4224HBCKLP	Conversion Kit-From NG to LP	1 lbs.	\$ 87.00	Υ
KF4224HBCKLPI	Conversion Kit-From NG to LP IPI	1 lbs.	\$ 102.00	Υ
Log Set (Required	d for Each Unit)			
KFLOGC42	Log Set - Four Piece - Classic Oak (3320, 3624/28, 4224/28 Series)  LIMITED TO STOCK ON HAND	14 lbs.	\$ 201.00	Υ
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 202.00	Υ
Grill Kit or Desigr	ner Clean View Kit (Required for Each Unit)			
KFHB42CVCK	Designer Clean View Circulating Kit	20 lbs.	\$ 430.00	Υ
KFHB42GBL	Grill Kit - Black	5 lbs.	\$ 108.00	Υ
Accessories/Opti	ons			
KFHB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 312.00	Υ
KFHB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 312.00	Υ
KFHB42PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 492.00	Υ
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFZDVDFA	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 119.00	Υ
ICTM4AA4	ICC Adapter	2 lbs.	\$ 189.00	Υ
KFDCHS	Remote Control Heat Shield - (For Z1RC, ZART)	1 lbs.	\$ 21.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	Υ
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 169.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	#N/A	CATALOG	Υ
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 295.00	Υ
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 419.00	Υ
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 419.00	Υ
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 666.00	Υ
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 666.00	Υ
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 348.00	Υ

KFHBZDV4224 - Zero Clearance Direct Vent Gas Fireplace					
Item Code	Item Name	Ship Weight	Retail Price	Stocked	
Accessories/Op	otions				
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 473.00	Υ	
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 473.00	Υ	
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 699.00	Υ	
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 699.00	Υ	
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 208.00	N	
Surrounds - For	Louvered Units Only (Coverage 45 1/8"W x 37 5/8"H)				
KFHB42SBL	Surround - Black	7 lbs.	\$ 287.00	N	
Decorate the B	Decorate the Bottom of your Fireplace with Log Bits				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 125.00	Υ	
For Venting, please	see Kingsman venting page or use one of the following adapters: KFZDVDFA - Dura-	Vent // ICTM4AA	4 - ICC		

# KFHBZDV4228 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screen, Framing 42 3/8" W x 37 1/4" H x 17" D, Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7" Angled Flue

### Best Selling Package Retail

HBZDV4228 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4228N, KFLOGC44, KFHB42CVCK, KFHB42RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 4,466.00

Item Code	Item Name	Ship Weight	<b>Retail Price</b>	Stocked
Unit				
KFHBZDV4228N	Fireplace, Millivolt Valve, NG, 28,000 BTU	113 lbs.	\$ 3,174.00	N
KFHBZDV4228LP	Fireplace, Millivolt Valve, LP, 26,000 BTU	113 lbs.	\$ 3,228.00	N
KFHBZDV4228NE	Fireplace, IPI Valve, NG, 28,000 BTU	113 lbs.	\$ 3,484.00	N
KFHBZDV4228LPE	Fireplace, IPI Valve, LP, 26,000 BTU	113 lbs.	\$ 3,541.00	N
KF4228HBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF4228HBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF4228HBCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF4228HBCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
Log Set (Require	d for Each Unit)			
VELOCC42	Log Set - Four Piece - Classic Oak (3320, 3624/28, 4224/28 Series)	1.4 lbs	ć 201.00	V
KFLOGC42	LIMITED TO STOCK ON HAND	14 lbs.	\$ 201.00	Y
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 202.00	Y
<b>Grill Kit or Desig</b>	ner Clean View Kit (Required for Each Unit)			
KFHB42CVCK	Designer Clean View Circulating Kit	20 lbs.	\$ 430.00	Υ
KFHB42GBL	Grill Kit - Black	5 lbs.	\$ 108.00	Y
<b>Fireplace Access</b>	ory Options			
KFHB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 312.00	Υ
KFHB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 312.00	Υ
KFHB42PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 492.00	Υ
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFZDVDFA	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 119.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 189.00	Υ
KFDCHS	Remote Control Heat Shield - (For Z1RC, ZART)	1 lbs.	\$ 21.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	Υ
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 169.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	#N/A	CATALOG	Υ
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 295.00	Υ
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 419.00	Υ
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 419.00	Υ
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 666.00	Υ
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 666.00	Υ

### KFHBZDV4228 - Zero Clearance Direct Vent Gas Fireplace **Item Code Item Name Ship Weight Retail Price** Stocked **Fireplace Accessory Options** KFEGTRC Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. 348.00 Υ \$ KFEGTMRCN Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. 473.00 Υ KFEGTMRCP Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. \$ 473.00 Υ Remote Control IPI - Thermostat/Modulating/Fan - NG KFEGTFRCN 1.3 lbs. \$ 699.00 Υ \$ KFEGTFRCP Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. 699.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness Decorative Surrounds - For Louvered Units Only (Coverage 45 1/8"W x 37 5/8"H) Surround - Black \$ KFHB42SBL 7 lbs. 287.00 Ν **Decorative Log Bits** KFVLBIT6 Log Bits - Small Six Piece Kit 2 lbs. \$ 125.00 Υ For Venting, please see Kingsman venting page or use one of the following adapters: KFZDVDFA - Dura-Vent // ICTM4AA5 - ICC

# KFHBZDV4736 - Zero Clearance Direct Vent Gas Fireplace 47"

Listed for USA/Canada, Dual Burner, Milli Volt Sit Valve with Hi/Lo Adjustment Wall Switch, Tempered Glass, Safety Screen, Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7" Angled Flue, Framing (Louvered) 47 3/8" W x 43 1/8" H x 19 1/2" D

### Best Selling Package Reta

HBZDV4736 Fireplace Millivolt, NG, Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4736N, KFLOGF36, KFHB47CVCK, KFHB47RLT and KFZ36FK (Suggested Remote ST1001A)

\$ 4,588.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFHBZDV4736N	Fireplace, Millivolt (as above) NG, 40,000 BTU	135 lbs.	\$ 2,774.00	N
KFHBZDV4736LP	Fireplace, Millivolt (as above) LP, 36,000 BTU	135 lbs.	\$ 2,858.00	N
KFHBZDV4736NE	Fireplace, IPI (as above) NG, 40,000 BTU	135 lbs.	\$ 3,086.00	N
KFHBZDV4736LPE	Fireplace, IPI (as above) LP, 36,000 BTU	135 lbs.	\$ 3,172.00	N
KF4740HBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF4740HBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF4740HBCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF4740HBCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
Log Set (Require	d for Each Unit)			
KFLOGF36	Log Set - Fiber Split Oak	12 lbs.	\$ 537.00	Υ
<b>Grill Kit or Desig</b>	ner Clean View Kit (Required for Each Unit)			
KFHB47CVCK	Designer Clean View Circulating Kit	20 lbs.	\$ 484.00	Υ
KFHB47GBL	Grill Kit - Black	6 lbs.	\$ 126.00	N
<b>Optional Brick o</b>	Porcelain Liners			
KFHB47RLT	Refractory Fiber Brick Liner (4 PCE) - Traditional	25 lbs.	\$ 445.00	Υ
KFHB47RLH	Refractory Fiber Brick Liner (4 PCE) - Herringbone	25 lbs.	\$ 445.00	Υ
KFHB47RRH	Refractory Fiber Brick Liner (4 PCE) - Red Herringbone	25 lbs.	\$ 445.00	N
KFHB47PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 697.00	N
<b>Optional Firepla</b>	ce Accessories			
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFZDVDFA	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 119.00	Υ
ICTM4AA4	ICC Adapter	2 lbs.	\$ 189.00	Υ
Decorate the Bo	ttom of Your Fireplace with Log Bits			
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 125.00	Υ

#### KFHBZDV4736 - Zero Clearance Direct Vent Gas Fireplace 47" **Item Code Item Name Ship Weight Retail Price** Stocked **Optional Thermostats and Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 108.00 1 lbs. \$ KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ **KFGTRC** Remote Control Millivolt - Thermostat 1 lbs. \$ 295.00 Υ KFGTMRCN Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. 419.00 Υ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Υ **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. \$ 666.00 Υ \$ Υ KFGTFRCP Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. 666.00 KFEGTRC Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ 348.00 Υ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. \$ 473.00 Υ **KFEGTMRCP** Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. \$ 473.00 Υ \$ KFEGTFRCN Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG 1.3 lbs. 699.00 Υ KFEGTFRCP Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP \$ Υ 1.3 lbs. 699.00 Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness

## KFZCV34 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch Tempered Glass Viewing Area 25 1/4" W x 20 3/4" H, Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, 19,000 BTU's NG, 18,000 BTU's LP.

### Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7" Angled Flue

Most Popular Package

ZCV34 Fireplace, IPI, NG, Eight Piece Log Set, Fan Kit and Remote (KFZCV34NE, KFLOGC44,

KFZ46FK and KFEGTRC)

Retail

\$ 3,258.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFZCV34N	Fireplace, Millivolt Valve (as above) NG	N/A	\$ 2,052.00	Υ
KFZCV34LP	Fireplace, Millivolt Valve (as above) LP	N/A	\$ 2,128.00	N
KFZCV34NE	Fireplace, IPI PF1 Valve (as above) NG	N/A	\$ 2,360.00	Υ
KFZCV34LPE	Fireplace, IPI PF1 Valve (as above) LP	N/A	\$ 2,436.00	N
KF34ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	N
KF34ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF34ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	N
KF34ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
Choose Grill for \	/entilation or Other Optional Chase Solutions			
KFV34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	N/A	\$ 320.00	Υ
KFV34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	N/A	\$ 240.00	Υ
Choose Log Set o	r Glass Media Accessories			
KFLOGC44	Log Set - Eight Piece - Burnt Oak	14 lbs.	\$ 202.00	Υ
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	Υ
Optional Media	Accessories			
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 376.00	Υ
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 125.00	Υ
<b>Optional Liners</b>				
KFZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	N/A	\$ 358.00	N
KFZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	N/A	\$ 358.00	N
KFZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$ 468.00	N
<b>Optional Electric</b>	al Components			
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
Surrounds and Ti	le Lip Kit			
KFZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	N/A	\$ 372.00	N
KFZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	N/A	\$ 372.00	N
KFZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	N/A	\$ 344.00	N
KF34ZCVTLK	Tile Lip Kit	N/A	\$ 68.00	N

#### KFZCV34 - Zero Clearance Clean View Direct Vent Gas Fireplace **Item Code Item Name Ship Weight Retail Price** Stocked **Optional Thermostats and Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. \$ 108.00 Υ 0.5 lbs. \$ KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 Υ 169.00 \$ Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 1 lbs. 208.00 **KFWMBH** Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) N/A CATALOG Υ **KFGTRC** Remote Control Millivolt - Thermostat Υ 1 lbs. 295.00 Remote Control Millivolt - Thermostat/Modulating - NG 419.00 **KFGTMRCN** 1 lbs. \$ Υ Remote Control Millivolt - Thermostat/Modulating - LP \$ **KFGTMRCP** 1 lbs. 419.00 Ν KFEGTRC Remote Control IPI Proflame 1 - Thermostat \$ 348.00 1 lbs. Υ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1 lbs. \$ 473.00 Υ 1 lbs. \$ 473.00 KFEGTMRCP Remote Control IPI Proflame 1 - Thermostat/Modulating - LP Υ Non-Vented Chase with Horizontal Venting Requires a Wall Thimble Shield KFZ58WTS Horizontal Wall Thimble Shield (for Non Vented Chase) \$ 4.5 lbs. 44.00 Ν

# KFZCV34H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch Ceramic Glass Viewing Area 25 1/4" W x 20 3/4" H, Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, 19,000 BTU's NG, 18,000 BTU's LP.

### Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7" Angled Flue

Most Popular Package	Retail
ZCV34 Fireplace, Millivolt, NG, Front Grill and Eight Piece Log Set (KFZCV34NH, KFV34EG and	¢ 2.042.00
KFLOGC44) (Suggested Remote ST1001A)	\$ 2,942.00

Item Code	Item Name	Ship Weight	Re	tail Price	Stocked
Unit					
KFZCV34NH	Fireplace, Millivolt Valve (as above) NG	N/A	\$	2,500.00	N
KFZCV34LPH	Fireplace, Millivolt Valve (as above) LP	N/A	\$	2,576.00	N
KFZCV34NHE	Fireplace, IPI PF1 Valve (as above) NG	N/A	\$	2,808.00	N
KFZCV34LPHE	Fireplace, IPI PF1 Valve (as above) LP	N/A	\$	2,884.00	N
KF34ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$	87.00	N
KF34ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$	87.00	N
KF34ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$	102.00	N
KF34ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$	102.00	N
Choose Grill for \	/entilation or Other Optional Chase Solutions				
KFV34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	N/A	\$	320.00	N
KFV34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	N/A	\$	240.00	N
Choose Log Set o	r Glass Media				
KFLOGC44	Log Set - Eight Piece - Burnt Oak	14 lbs.	\$	202.00	Υ
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$	102.00	Υ
Choose Media Ad	ccessories				
KFRBCB1	Cannonballs - Assorted size and colors	16 .5 lbs.	\$	376.00	Υ
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$	125.00	Υ
<b>Optional Liners</b>					
KFZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	N/A	\$	358.00	N
KFZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	N/A	\$	358.00	N
KFZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$	468.00	N
<b>Optional Electric</b>	al Components				
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$	348.00	Υ
Surrounds and Ti	le Lip Kit				
KFZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	N/A	\$	372.00	N
KFZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	N/A	\$	372.00	N
KFZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	N/A	\$	344.00	N
KF34ZCVTLK	Tile Lip Kit	N/A	\$	68.00	N

#### KFZCV34H - Zero Clearance Clean View Direct Vent Gas Fireplace **Ship Weight Retail Price Item Code Item Name** Stocked **Optional Thermostats and Remote Controls** Thermostat Digital - Vertical Wall Mount - MV/PF1 KFZ2MT 1 lbs. \$ 108.00 Υ KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. \$ 169.00 Υ KFWMBH Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 1 lbs. \$ 208.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) CATALOG Υ N/A Remote Control Millivolt - Thermostat KFGTRC 1 lbs. \$ 295.00 Υ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG \$ 419.00 Υ 1 lbs. **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Ν KFEGTRC Remote Control IPI Proflame 1 - Thermostat \$ 348.00 Υ 1 lbs. **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG \$ 1 lbs. 473.00 Υ Remote Control IPI Proflame 1 - Thermostat/Modulating - LP \$ 473.00 Υ **KFEGTMRCP** 1 lbs. Non-Vented Chase with Horizontal Venting Requires a Wall Thimble Shield KFZ58WTS Horizontal Wall Thimble Shield (for Non Vented Chase) 4.5 lbs. \$ 44.00 Ν

## KFZCV39 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Tempered Glass, Viewing Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D, Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7" Angled Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

### Best Selling Package Retail

ZCV39 Fireplace IPI, NG, Five Piece Log Set, Brick Herringbone Liner, Fan Kit and Remote (KFZCV39NE, KFLOGF3, KFZCV39RLH, KFZ46FK and KFEGTRC)

\$ 4,120.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked				
Unit								
KFZCV39N	Fireplace, Millivolt Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU	150 lbs.	\$ 2,211.00	Y				
KFZCV39LP-NONVC	Fireplace, Millivolt Valve, (as above) LP, 25,000 BTU LIMITED TO STOCK ON HAND	#N/A	\$ 2,287.00	N				
KFZCV39LP	Fireplace, Millivolt Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU <b>WILL NOT SHIP UNTIL KFZCV39LP-NONVC STOCK DEPLETED</b>	150 lbs.	\$ 2,287.00	TBD				
KFZCV39NE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU	150 lbs.	\$ 2,519.00	Y				
KFZCV39LPE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU	150 lbs.	\$ 2,596.00	Y				
KF39ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ				
KF39ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N				
KF39ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ				
KF39ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N				
<b>Ventilating Enclo</b>	Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual							
KFV39EGS	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$ 352.00	Y				
KFV39EG	FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8")	-	\$ 248.00	) Y				
Log Set, Rock Set	, or Glass Set (One Required for Each Unit)							
KFLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$ 393.00	Υ				
KFLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND	20 lbs.	\$ 311.00	Υ				
KFZCV39GT	Glass Tray for KFZCV39 - (Requires 15 lbs. of Glass Media)	8 lbs.	\$ 165.00	Υ				
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	Υ				
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 376.00	Υ				
KFULK2	Universal Light Kit - Two Lamps (for use with KFZCV39GT Glass Tray)	5 lbs.	\$ 295.00	Υ				
Surrounds and Sa	afety Screens							
KFZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	11 lbs.	\$ 392.00	Υ				
KFZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" x 37" H)	15 lbs.	\$ 392.00					
KFZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	15 lbs.	\$ 357.00	Υ				

#### KFZCV39 - Zero Clearance Clean View Direct Vent Gas Fireplace **Item Code Item Name Ship Weight Retail Price** Stocked **Fireplace Accessories Options** KFZCV39RLT Refractory Fiber Brick Liner (3PCE) - Traditional 15 lbs. 393.00 \$ Υ \$ KFZCV39RLH 15 lbs. Υ Refractory Fiber Brick Liner (3PCE) - Herringbone 393.00 \$ 15 lbs. 393.00 Υ KFZCV39RRH Refractory Fiber Brick Liner (3PCE) - Red Herringbone KFZCV39RLS Refractory Fiber Brick Liner (3PCE) - Stacked Brick 15 lbs. \$ 393.00 Υ Porcelain Reflective Panel Liner (3PCE) \$ 484.00 Υ KFZCV39PL 22 lbs. Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) \$ KFZ46FK 5 lbs. 348.00 Υ \$ Υ **KFZDVDFA** Duravent Fireplace Adapter - 23.5 Degree 2.5 lbs. 119.00 ICTM4AA4 2 lbs. \$ 189.00 Υ **ICC** Adapter KFZCVTLK Tile Lip Kit (for Finishing Materials - Tile and Brick) 3 lbs. \$ 68.00 Υ **Log Bit Decorations** KFVLBIT6 2 lbs. \$ Log Bits - Small Six Piece Kit 125.00 Υ **Thermostats and Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. \$ 108.00 KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ KFGTRC Remote Control Millivolt - Thermostat 1 lbs. 295.00 Υ \$ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ Remote Control Millivolt - Thermostat/Modulating - LP \$ 419.00 Υ **KFGTMRCP** 1 lbs. \$ **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. 666.00 Υ \$ Υ **KFGTFRCP** Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. 666.00 KFEGTRC Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ 348.00 Υ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. \$ 473.00 Υ **KFEGTMRCP** Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. \$ 473.00 Υ \$ 699.00 **KFEGTFRCN** Remote Control IPI - Thermostat/Modulating/Fan - NG 1.3 lbs. Υ **KFEGTFRCP** Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 699.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness

## KFZCV39H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Heater, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Ceramic Glass, Viewing Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D, Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7"

Angled Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

Best Selling Package	Retail
----------------------	--------

ZCV39 Fireplace Millivolt, NG, Five Piece Log Set, Brick Herringbone Log Set and Fan Kit (KFZCV39NH, KFLOGF3, KFZCV39RLH and KFZ46FK) (Suggested Remote ST1001A)

\$ 4,384.00

Item Code	Item Name	<b>Ship Weight</b>	Reta	ail Price	Stocked
Unit					
KFZCV39NH-NONVC	Fireplace, Millivolt Valve (as above) NG, 28,000 BTU LIMITED TO STOCK ON HAND	#N/A	\$ 2	2,905.00	N
KFZCV39LPH- NONVC	Fireplace, Millivolt Valve, (as above) LP, 29,000 BTU LIMITED TO STOCK ON HAND	#N/A	\$ 2	2,982.00	N
KFZCV39NH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) NG, 28,000 BTU <b>WILL NOT SHIP UNTIL KFZCV39NH-NONVC STOCK DEPLETED</b>	150 lbs.	\$ 2	2,905.00	Υ
KFZCV39LPH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU <b>WILL NOT SHIP UNTIL KFZCV39LPH-NONVC STOCK DEPLETED</b>	150 lbs.	\$ 2	2,982.00	N
KFZCV39NHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 28,000 BTU	150 lbs.	\$ 3	3,216.00	Υ
KFZCV39LPHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU	150 lbs.	\$ 3	3,293.00	N
KF39ZCVCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$	87.00	Υ
(F39ZCVCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$	87.00	N
KF39ZCVCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$	102.00	Υ
KF39ZCVCKNHI	Conversion Kit - IPI - To NG	1 lbs.	\$	102.00	N
<b>Ventilating Enclo</b>	sure - Choose Grill or Other Chase Option Per Manual				
KFV39EGS	FOR VENTILATED UNITS ONLY - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$	352.00	Υ
KFV39EG	FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8")	-	\$	248.00	Υ
Log Set, Rock Set	, or Glass Set (One Required for Each Unit)				
(FLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$	393.00	Υ
(FLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND	20 lbs.	\$	311.00	Υ
KFZCV39GT	Glass Tray for KFZCV39 - (Requires 15 lbs. of Glass Media)	8 lbs.	\$	165.00	Υ
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$	102.00	Υ
(FRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$	376.00	Υ
(FULK2	Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray)	5 lbs.	\$	295.00	Υ
Surrounds and Sa	afety Screens				
KFZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	11 lbs.	\$	392.00	Υ
KFZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" x 37 H)	15 lbs.	\$	392.00	N
KFZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	15 lbs.	\$	357.00	Υ

#### KFZCV39H - Zero Clearance Clean View Direct Vent Gas Fireplace **Item Name Ship Weight Item Code Retail Price Stocked Fireplace Accessories Options** KFZCV39RLT Refractory Fiber Brick Liner (3PCE) - Traditional 15 lbs. 393.00 Υ KFZCV39RLH 15 lbs. \$ 393.00 Υ Refractory Fiber Brick Liner (3PCE) - Herringbone Refractory Fiber Brick Liner (3PCE) - Red Herringbone 393.00 Υ KFZCV39RRH 15 lbs. \$ KFZCV39RLS Refractory Fiber Brick Liner (3PCE) - Stacked Brick 15 lbs. \$ 393.00 Υ \$ KFZCV39PL Porcelain Reflective Panel Liner (3PCE) 22 lbs. 484.00 Υ Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) \$ 348.00 Υ KFZ46FK 5 lbs. \$ Υ **KFZDVDFA** Duravent Fireplace Adapter - 23.5 Degree 2.5 lbs. 119.00 ICTM4AA4 ICC Adapter 2 lbs. \$ 189.00 Υ Tile Lip Kit (for Finishing Materials - Tile and Brick) KFZCVTLK 3 lbs. \$ 68.00 Υ **Log Bit Decorations** KFVLBIT6 \$ Log Bits - Small Six Piece Kit 2 lbs. 125.00 Υ **Thermostats and Remote Controls** Thermostat Digital - Vertical Wall Mount - MV/PF1 KFZ2MT 1 lbs. \$ 108.00 Υ KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ Remote Control Millivolt - Thermostat Υ **KFGTRC** 1 lbs. 295.00 **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ \$ Υ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. 419.00 \$ Υ **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. 666.00 \$ **KFGTFRCP** Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. 666.00 Υ KFEGTRC 348.00 Υ Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ \$ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. 473.00 Υ \$ **KFEGTMRCP** Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. 473.00 Υ Remote Control IPI - Thermostat/Modulating/Fan - NG \$ Υ **KFEGTFRCN** 1.3 lbs. 699.00 \$ **KFEGTFRCP** Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. 699.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ KFWMBH 1 lbs. 208.00 Ν Harness

## KFZCV42 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Tempered Glass, Viewing Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D, Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7"

Angled Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

Best Selling Package Retail

ZCV42 Fireplace IPI, Five Piece Log Set, Brick Herringbone Liner and Fan Kit (KFZCV42NE, KFLOGF3, KFZCV42RLH, KFZ46FK) (Suggested Remote ST1001A)

\$ 3,960.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFZCV42N-NONVC	Fireplace, Millivolt Valve (as above) NG, 25,000 BTU LIMITED TO STOCK ON HAND	#N/A	\$ 2,479.00	N
KFZCV42N	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU <b>WILL NOT SHIP UNTIL KFZCV42N-NONVC STOCK DEPLETED</b>	154 lbs.	\$ 2,479.00	Υ
KFZCV42LP	Fireplace, Millivolt Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU	154 lbs.	\$ 2,557.00	Y
KFZCV42NE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU	154 lbs.	\$ 2,791.00	Υ
KFZCV42LPE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU	154 lbs.	\$ 2,868.00	N
KF42ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Y
KF42ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF42ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF42ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
Ventilating Enclo	sure - Choose Grill or Other Chase Option Per Manual			
KFV39EGS	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$ 352.00	Υ
KFV39EG	FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8")	-	\$ 248.00	Y
Log Set, Rock Set	t, Or Glass Set (One Required for Each Unit)			
KFLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$ 393.00	Υ
KFLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND	20 lbs.	\$ 311.00	Υ
KFZCV42GT	Glass Tray for KFZCV42 - (Requires 20 lbs. of Glass Media)	8 lbs.	\$ 174.00	Υ
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	Y
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 376.00	Y
KFULK2	Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray)	5 lbs.	\$ 295.00	Υ
Surrounds and Sa	afety Screens			
KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 444.00	Υ
KFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" x 40 1/8" H)	15 lbs.	\$ 444.00	Y
KFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 392.00	Y

#### KFZCV42 - Zero Clearance Clean View Direct Vent Gas Fireplace **Retail Price Item Code Item Name Ship Weight** Stocked **Fireplace Accessories Options** KFZCV42RLT Refractory Fiber Brick Liner (3PCE) - Traditional 15 lbs. \$ 428.00 Υ \$ KFZCV42RLH 15 lbs. Υ Refractory Fiber Brick Liner (3PCE) - Herringbone 428.00 \$ 15 lbs. 428.00 KFZCV42RRH Refractory Fiber Brick Liner (3PCE) - Red Herringbone Ν KFZCV42RLS Refractory Fiber Brick Liner (3PCE) - Stacked Brick 15 lbs. \$ 428.00 Υ KFZCV42PL Porcelain Reflective Panel Liner (3PCE) \$ 520.00 Υ 22 lbs. Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) \$ KFZ46FK 5 lbs. 348.00 Υ \$ Υ KFZDVDFA Duravent Fireplace Adapter - 23.5 Degree 2.5 lbs. 119.00 ICTM4AA4 2 lbs. \$ 189.00 Υ **ICC** Adapter KFZCVTLK Tile Lip Kit (for Finishing Materials - Tile and Brick) 3 lbs. \$ 68.00 Υ **Log Bit Decorations** \$ KFVLBIT6 Log Bits - Small Six Piece Kit 2 lbs. 125.00 Υ **Thermostats and Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 \$ 108.00 1 lbs. Υ KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ **KFGTRC** Remote Control Millivolt - Thermostat 1 lbs. \$ 295.00 Υ 419.00 Υ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Υ **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. \$ 666.00 Υ **KFGTFRCP** Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 666.00 Υ **KFEGTRC** Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ 348.00 Υ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. \$ 473.00 Υ **KFEGTMRCP** Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. \$ 473.00 Υ \$ 699.00 **KFEGTFRCN** Remote Control IPI - Thermostat/Modulating/Fan - NG 1.3 lbs. Υ **KFEGTFRCP** Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 699.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness

## KFZCV42H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Heater, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Ceramic Glass Viewing Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D, **Uses KFZDVDFA/ICTM4AA4 Adapter, 4/7" Angled**Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

Best Selling Package	Retail
----------------------	--------

ZCV42 Fireplace IPI, NG, Five Piece Log Set, Brick Herringbone Liner and Fan Kit (KFZCV42NHE, KFLOGF3, KFZCV42RLH and KFZ46FK) (Suggested Remote ST1001A)

\$ 5,018.00

Item Code	Item Name	<b>Ship Weight</b>	<b>Retail Price</b>	Stocked
Unit				
KFZCV42NH-NONVC	Fireplace, Millivolt Valve (as above) NG, 29,500 BTU LIMITED TO STOCK ON HAND	#N/A	\$ 3,540.00	N
KFZCV42LPH- NONVC	Fireplace, Millivolt Valve, (as above) LP, 29,000 BTU LIMITED TO STOCK ON HAND	#N/A	\$ 3,617.00	N
KFZCV42NH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) NG, 29,500 BTU <b>WILL NOT SHIP UNTIL KFZCV42NH-NONVC STOCK DEPLETED</b>	154 lbs.	\$ 3,540.00	TBD
KFZCV42LPH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU <b>WILL NOT SHIP UNTIL KFZCV42LPH-NONVC STOCK DEPLETED</b>	154 lbs.	\$ 3,617.00	TBD
KFZCV42NHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 29,500 BTU	154 lbs.	\$ 3,849.00	N
KFZCV42LPHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU	154 lbs.	\$ 3,926.00	N
KF42ZCVCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	N
KF42ZCVCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF42ZCVCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF42ZCVCKNGHI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
<b>Ventilating Enclo</b>	sure - Choose Grill or Other Chase Option Per Manual			
KFV39EGS	FOR VENTILATED UNITS ONLY - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$ 352.00	Υ
KFV39EG	FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8")	-	\$ 248.00	Υ
Log Set, Rock Set	, or Glass Set (One Required for Each Unit)			
KFLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$ 393.00	Υ
KFLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND	20 lbs.	\$ 311.00	Υ
KFZCV42GT	Glass Tray for KFZCV42 - (Requires 20 lbs. of Glass Media)	8 lbs.	\$ 174.00	Υ
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	Υ
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 376.00	Υ
KFULK2	Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray)	5 lbs.	\$ 295.00	Υ
Surrounds and Sa	fety Screens			
KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 444.00	Υ
KFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" x 40 1/8" H)	15 lbs.	\$ 444.00	Y
KFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 392.00	Υ

#### KFZCV42H - Zero Clearance Clean View Direct Vent Gas Fireplace **Item Code Item Name** Ship Weight Retail Price Stocked **Fireplace Accessories Options** Refractory Fiber Brick Liner (3PCE) - Traditional KFZCV42RLT 15 lbs. 428.00 Υ KFZCV42RLH Refractory Fiber Brick Liner (3PCE) - Herringbone 15 lbs. \$ 428.00 Υ KFZCV42RRH Refractory Fiber Brick Liner (3PCE) - Red Herringbone 15 lbs. \$ 428.00 Ν KFZCV42RLS Refractory Fiber Brick Liner (3PCE) - Stacked Brick 15 lbs. \$ 428.00 Υ KFZCV42PL Porcelain Reflective Panel Liner (3PCE) 22 lbs. \$ 520.00 Υ \$ KFZ46FK Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) 5 lbs. 348.00 Υ \$ KFZDVDFA Duravent Fireplace Adapter - 23.5 Degree 2.5 lbs. 119.00 Υ ICTM4AA4 **ICC** Adapter 2 lbs. \$ 189.00 Υ \$ Υ KFZCVTLK Tile Lip Kit (for Finishing Materials - Tile and Brick) 3 lbs. 68.00 **Log Bit Decorations** KFVLBIT6 Log Bits - Small Six Piece Kit 2 lbs. \$ 125.00 Υ **Thermostats and Remote Controls** Thermostat Digital - Vertical Wall Mount - MV/PF1 KFZ2MT 1 lbs. \$ 108.00 Υ KFZ80PT \$ Thermostat Programmable Digital Millivolt Wall Mount 0.5 lbs. 169.00 Ν CATALOG ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A Υ KFGTRC Remote Control Millivolt - Thermostat 1 lbs. \$ 295.00 Υ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ \$ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. 419.00 Υ \$ Υ **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. 666.00 **KFGTFRCP** Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 666.00 Υ **KFEGTRC** Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ 348.00 Υ \$ Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. 473.00 Υ **KFEGTMRCN** \$ Υ **KFEGTMRCP** Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. 473.00 KFEGTFRCN Remote Control IPI - Thermostat/Modulating/Fan - NG \$ Υ 1.3 lbs. 699.00 \$ **KFEGTFRCP** Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. 699.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness For Venting, please see Kingsman venting page or use one of the following adapters: KFZDVDFA - Dura-Vent // ICTM4AA5 - ICC

# KFMCVP42 - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.50, RH Burner, Three Sides Open, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, Back, **Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue**For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

### Best Selling Package Retail

MCVP42 Peninsula Fireplace IPI, NG, Log Grate and Oak Log Set (KFMCVP42NE, KFM42LG and KFM42LOG4)

\$ 5,944.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFMCVP42N	Peninsula Fireplace, Millivolt (as above) NG, 30,250 BTU	260 lbs.	\$ 4,608.00	N
KFMCVP42LP	Peninsula Fireplace, Millivolt (as above) LP, 28,500 BTU	260 lbs.	\$ 4,684.00	N
KFMCVP42NE	Peninsula Fireplace, IPI (as above) NG, 30,250 BTU	260 lbs.	\$ 4,917.00	Υ
KF42MPCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF42MPCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF42MPCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF42MPCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
<b>Choose Log Gra</b>	te & Log Set or Glassy Tray & Media (Required for Each Unit)			
KFM42LG	Log Grate (need to choose log set) - Not for Use with LP	28 lbs.	\$ 174.00	Υ
KFM42LOG4	Log Set - Oak - Not for Use with LP	13 lbs.	\$ 853.00	Υ
KFMP42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	11 lbs.	\$ 174.00	Υ
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT	16 lbs.	\$ 853.00	N
KFZG5C	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Υ
KFULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	7 lbs.	\$ 295.00	Υ
Fireplace Acces	sories Options			
KFMP42RLT	Refractory Fiber Brick Liner - Traditional	5 lbs.	\$ 196.00	N
KFMP42PL	Porcelain Reflective Panel Liner	6 lbs.	\$ 198.00	Υ
KF42MCVPTLK	Tile Lip Kit - 8 Piece	#N/A	\$ 91.00	N
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 119.00	Υ
KFZ58DFA	Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVP42	3 lbs.	\$ 150.00	Υ
ICTM5AA1	ICC Adapter	6 lbs.	\$ 135.00	Υ
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 208.00	N
For Venting, please s	see Kingsman venting page or use one of the following adapters: KFZ58DFA - Dura-V	ent // ICTM5AA1	- ICC	

# KFMCPV42H - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.88, RH Burner, Three Sides Open, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screens, Back, Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue

For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

Best Selling Package Retail

MCVP42 Peninsula Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVP42NHE, KFM42LG, KFM42LOG4 and KFEGTRC)

\$ 8,455.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFMCVP42NH	Peninsula Fireplace, Millivolt (as above) NG, 31,250 BTU	260 lbs.	\$ 6,771.00	N
KFMCVP42LPH	Peninsula Fireplace, Millivolt (as above) LP, 29,000 BTU	260 lbs.	\$ 6,846.00	N
KFMCVP42NHE	Peninsula Fireplace, IPI (as above) NG, 31,250 BTU	260 lbs.	\$ 7,080.00	N
KFMCVP42LPHE	Peninsula Fireplace, IPI (as above) LP, 29,000 BTU	260 lbs.	\$ 7,156.00	N
KF42MPCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF42MPCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF42MPCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF42MPCKNGHI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
<b>Choose Log Grat</b>	e & Log Set or Glass Tray & Media (Required for Each Unit)			
KFM42LG	Log Grate (need to choose log set) - Not for Use with LP	28 lbs.	\$ 174.00	Υ
KFM42LOG4	Log Set - Oak - Not for Use with LP	13 lbs.	\$ 853.00	Υ
KFMP42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	11 lbs.	\$ 174.00	Υ
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT	16 lbs.	\$ 853.00	N
KFZG5C	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Υ
KFULK3	Universal Light Kit - Two Lamps (for use with glass tray)	7 lbs.	\$ 295.00	Υ
KF42MVB258	Pilot Shield - for Glass Tray and Log Grate (replacement part)	N/A	\$ 55.00	N
Fireplace Access	ories Options			
KFMP42RLT	Refractory Fiber Brick Liner - Traditional	5 lbs.	\$ 196.00	N
KFMP42PL	Porcelain Reflective Panel Liner	6 lbs.	\$ 198.00	Υ
KF42MCVPTLK	Tile Lip Kit - 8 Piece	#N/A	\$ 91.00	N
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 125.00	Υ
KFZ58DFA	Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVP42	3 lbs.	\$ 150.00	Υ
ICTM5AA1	ICC Adapter	6 lbs.	\$ 135.00	Υ

#### KFMCPV42H - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace **Item Code Item Name** Ship Weight Retail Price Stocked **Thermostats & Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. 108.00 Υ KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ **KFGTRC** Remote Control Millivolt - Thermostat 1 lbs. 295.00 Υ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Υ \$ **KFGTFRCN** Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. 666.00 Υ KFGTFRCP Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 666.00 Υ Υ **KFEGTRC** Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. \$ 348.00 **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. \$ 473.00 Υ **KFEGTMRCP** Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. \$ 473.00 Υ

\$

\$

\$

699.00

699.00

208.00

Υ

Υ

Ν

1.3 lbs.

1.3 lbs.

1 lbs.

For Venting, please see Kingsman venting page or use one of the following adapters: KFZ58DFA - Dura-Vent // ICTM5AA1 - ICC

Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire

Remote Control IPI - Thermostat/Modulating/Fan - NG

Remote Control IPI - Thermostat/Modulating/Fan - LP

**KFEGTFRCN** 

KFEGTFRCP

**KFWMBH** 

Harness

## KFMCVST42 - Multi-Sided Clean View See-Through Direct Vent Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.50, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, Back, **Uses KFZ58FA/ICTM5AA1 Adapter**, **5/8" Angled Flue** For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

### Best Selling Package Retail

MCVST42 See-Through Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVST42NE, KFM42LG, KFM42LOG4 and KFEGTRC)

\$ 6,403.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFMCVST42N	See Through Fireplace, Millivolt (as above) NG, 31,000 BTU	260 lbs.	\$ 4,716.00	N
KFMCVST42LP	See Through Fireplace, Millivolt (as above) LP, 29,250 BTU	260 lbs.	\$ 4,798.00	N
KFMCVST42NE	See Through Fireplace, IPI (as above) NG, 31,000 BTU	260 lbs.	\$ 5,028.00	Υ
KFMCVST42LPE	See Through Fireplace, IPI (as above) LP, 29,250 BTU	260 lbs.	\$ 5,126.00	N
KF42MSTCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF42MSTCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF42MSTCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF42MSTCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
<b>Choose Log Gra</b>	te & Log Set or Glass Tray & Media (Required for Each Unit)			
KFM42LG	Log Grate (need to choose log set)	28 lbs.	\$ 174.00	Υ
KFM42LOG4	Log Set - Oak	13 lbs.	\$ 853.00	Υ
KFMST42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	10 lbs.	\$ 174.00	Υ
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT	16 lbs.	\$ 853.00	N
KFZG5C	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Υ
KFULK3	Universal Light Kit - Two Lamps (for use with glass tray)	7 lbs.	\$ 295.00	Υ
KF42MVB258	Pilot Shield - for Glass Tray and Log Grate (replacement part)	N/A	\$ 55.00	N
Surrounds & De	signer Doors			
KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 444.00	Υ
kFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	15 lbs.	\$ 444.00	Υ
kFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 392.00	Υ
Fireplace Access	sories Options			
KFZCVTLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	3 lbs.	\$ 68.00	Υ
KFMST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	12 lbs.	\$ 376.00	Υ
KFMST42PL	Porcelain Reflective Panel Liner (2 PCE)	15 lbs.	\$ 396.00	Υ
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 119.00	Υ
KFZ58DFA	Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVST42	3 lbs.	\$ 150.00	Y
ICTM5AA1	ICC Adapter	6 lbs.	\$ 135.00	Υ
Thermostats &	Remote Controls			
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 108.00	Υ
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 169.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	#N/A	CATALOG	Υ
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 295.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 419.00	Y

#### KFMCVST42 - Multi-Sided Clean View See-Through Direct Vent Fireplace **Item Code Item Name Ship Weight Retail Price** Stocked **Thermostats & Remote Controls** KFGTMRCP Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Υ KFGTFRCN \$ 666.00 Remote Control Millivolt - Thermostat/Modulating/Fan - NG 1.3 lbs. Υ KFGTFRCP Υ Remote Control Millivolt - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 666.00 Remote Control IPI Proflame 1 - Thermostat KFEGTRC 1.3 lbs. \$ 348.00 Υ \$ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. 473.00 Υ \$ Υ **KFEGTMRCP** Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 473.00 1.3 lbs. \$ Υ KFEGTFRCN Remote Control IPI - Thermostat/Modulating/Fan - NG 699.00 1.3 lbs. KFEGTFRCP Remote Control IPI - Thermostat/Modulating/Fan - LP 1.3 lbs. \$ 699.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν For Venting, please see Kingsman venting page or use one of the following adapters: KFZ58DFA - Dura-Vent // ICTM5AA1 - ICC

## KFMCVST42H - Multi-Sided Clean View See-Through Direct Vent Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.88, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass, Back, **Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue**For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

### Best Selling Package Retail

MCVST42 See-Through Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVST42NHE, KFM42LG, KFM42LOG4 and KFEGTRC)

\$ 8,391.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFMCVST42NH	See Through Fireplace, Millivolt (as above) NG, 31,000 BTU	260 lbs.	\$ 6,708.00	N
KFMCVST42LPH	See Through Fireplace, Millivolt (as above) LP, 29,250 BTU	260 lbs.	\$ 6,783.00	N
KFMCVST42NHE	See Through Fireplace, IPI (as above) NG, 31,000 BTU	260 lbs.	\$ 7,016.00	Υ
KFMCVST42LPHE	See Through Fireplace, IPI (as above) LP, 29,250 BTU	260 lbs.	\$ 7,092.00	N
KF42MSTCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF42MSTCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF42MSTCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KF42MSTCKNGHI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
Choose Log Grate	e & Log Set or Glass Tray & Media (Required for Each Unit)			
KFM42LG	Log Grate (need to choose log set)	28 lbs.	\$ 174.00	Υ
KFM42LOG4	Log Set - Oak	13 lbs.	\$ 853.00	Υ
KFMST42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	10 lbs.	\$ 174.00	Υ
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray	16 lbs.	\$ 853.00	N
KFIVI4ZLUG3	KFMST42GT	16 105.	\$ 655.00	IN
KFZG5C	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 102.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Υ
KFULK3	Universal Light Kit - Two Lamps (for use with glass tray)	7 lbs.	\$ 295.00	Υ
KF42MVB258	Pilot Shield - for Glass Tray and Log Grate (replacement part)	N/A	\$ 55.00	N
Surrounds & Des	igner Doors			
KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 444.00	Υ
kFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	15 lbs.	\$ 444.00	Υ
kFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 392.00	Υ
Fireplace Accesso	ories Options			
KFZCVTLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	3 lbs.	\$ 68.00	Υ
KFMST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	12 lbs.	\$ 376.00	Y
KFMST42PL	Porcelain Reflective Panel Liner (2 PCE)	15 lbs.	\$ 396.00	Υ
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 348.00	Υ
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 119.00	Υ
KFZ58DFA	Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVST42	3 lbs.	\$ 150.00	Υ
ICTM5AA1	ICC Adapter	6 lbs.	\$ 135.00	Υ

#### KFMCVST42H - Multi-Sided Clean View See-Through Direct Vent Fireplace **Item Code Item Name Ship Weight Retail Price** Stocked **Thermostats & Remote Controls** KFZ2MT \$ Thermostat Digital - Vertical Wall Mount - MV/PF1 108.00 1 lbs. Υ KFZ80PT 0.5 lbs. \$ 169.00 Thermostat Programmable Digital Millivolt Wall Mount Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A **CATALOG** Υ

# **KFIDV24 - Direct Vent Gas Fireplace Insert**

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Adjustable Valve, Blower, Two Three Inch Flues, 24,000 BTU/HR, Minimum Fireplace Opening (24 1/4" W x 18 1/2" H x 14" D)

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View with Surround

Best Selling Package Retail

IDV24 Proflame 2 Insert, NG, Split Oak Log Set, Clean View Front and Surround (KFIDV24NE2, KFLOGF24OAK, KFI24CV1BL and KFI24S3827)

\$ 3,843.00

Item Code	Item Name	Ship Weight	<b>Retail Price</b>	Stocked
Unit				
KFIDV24N	Insert Direct Vent - Millivolt - NG	-	\$ 1,960.00	N
KFIDV24LP	Insert Direct Vent - Millivolt - LP	-	\$ 2,008.00	N
KFIDV24NE	Insert Direct Vent - IPI PF1 - NG	-	\$ 2,240.00	N
KFIDV24LPE	Insert Direct Vent - IPI PF1 - LP	-	\$ 2,288.00	N
KFIDV24NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - NG	-	\$ 2,720.00	Υ
KFIDV24LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - LP	-	\$ 2,784.00	N
KF24IDVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
KF24IDVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
KF24IDVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	N
KF24IDVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
KF24IDVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	1 lbs.	\$ 188.00	Υ
KF24IDVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	1 lbs.	\$ 188.00	N
<b>Choose Log Set</b>	or Glass Media (Required)			
KFLOGF24OAK	Log Set - Fiber Split Oak	#N/A	\$ 467.00	Υ
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs (Glass Media Tray NOT Required)	5 lbs.	\$ 102.00	Υ
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 376.00	Υ
<b>Choose Clean V</b>	iew Front and Appropriate Surround (Required)			
KFI24CV1BL	Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D	#N/A	\$ 476.00	Y
KFI24S3827	Surround - Black (Covers 37 13/16" W x 27" H)	#N/A	\$ 180.00	Υ
KFI24SPF3829	Surround - Picture Frame - Black (Covers 37 13/16" W x 28 7/8" H)	#N/A	\$ 228.00	N
KFI24SU4541	Surround Universal - Black (Covers 45" W x 41" H)	#N/A	\$ 192.00	Υ
<b>Options and Ac</b>	cessories			
KFI34R40	Riser For Surround (Raises Coverage Height 2 1/2") x 40" W	1 lbs.	\$ 156.00	N
KFIDV24RLT	Refractory Brick Liner (3 PCE)	#N/A	\$ 358.00	N

#### **KFIDV24 - Direct Vent Gas Fireplace Insert Item Code Item Name** Ship Weight Retail Price Stocked **Thermostats and Remote Controls** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. 108.00 Υ KFZ80PT \$ Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. 169.00 Ν KFGTRC Remote Control Millivolt - Thermostat 1 lbs. \$ 295.00 Υ KFGTMRCP Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. \$ 419.00 Υ **KFGTMRCN** Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ **KFEGTRC** Remote Control IPI Proflame 1 - Thermostat \$ 1.3 lbs. 348.00 Υ \$ Υ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. 473.00 Remote Control IPI Proflame 1 - Thermostat/Modulating - LP \$ KFEGTMRCP 1.3 lbs. 473.00 Υ Venting Components - 3"x3" KFIDVVT36 Vertical Vent Termination - (3/3"), Mill Pac and Screws 3.5 lbs. \$ 198.00 Υ \$ Υ KFIDVFK25 Flex Pipe Kit (2 x 3" Dia x 25' Gas Flex Liner) 19 lbs. 432.00 \$ KFIDVLCP 5 lbs. Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") 40.00 Ν KFZDV3FC Flex Connector 3" Diameter \$ 1 lbs. 21.00 Ν Venting Components - 2"x3" KFIDVVT36 Vertical Vent Termination - (3/3"), Mill Pac and Screws Υ 3.5 lbs. 198.00 \$ KFI23FK25 Flex Pipe Kit (2"x 25' & 3" x 25' Gas Flex Liner) #N/A 432.00 Ν KFI23FAK Flue Adaptor Kit - 2 x 2" to 3" Increaser and 6" to 7" Increaser #N/A \$ 72.00 Ν **KFIDVLCP** Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") \$ 5 lbs. 40.00 Ν \$ KFZDV2FC Flex Connector 2" Diameter #N/A 21.00 Ν \$ KFZDV3FC Flex Connector 3" Diameter 1 lbs. 21.00 Ν

# **KFIDV26 - Direct Vent Gas Fireplace Insert**

Listed for USA/Canada as a Vented Gas Fireplace Heater, Includes Dual Burner with Glowing Embers, Ceramic Glass, Safety Screen, Millivolt Valve, Variable Speed with Thermostat Controlled Blower, 30,000 BTU/HR NG, 28,500 BTU/HR LP, Efficiency of 75%, (Minimum Size of Fireplace for Component "Out" Installation 28" W x 19 1/2" H x 14 1/8"D. Minimum Size of Fireplace for Component "In" installation 31" W x 19 1/2" H x 14 1/8"D) 3" Intake 3" Exhaust

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View or Grill Kit

Best Selling Package	Retail
IDV26 Proflame 2 Insert, NG, Split Oak Log Set and Slim Clean View Front (KFIDV26NE2,	Ć 4.048.00
KFLOGF27 and KFI26CV1BL)	\$ 4,048.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Unit				
KFIDV26NE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	96 lbs.	\$ 3,308.00	N
KFIDV26LPE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	96 lbs.	\$ 3,372.00	N
KF26IDVCKLP2	Conversion Kit - IPI Proflame 2 - To LP	N/A	\$ 188.00	N
KF26IDVCKNG2	Conversion Kit - IPI Proflame 2 - To NG	N/A	\$ 188.00	N
KFIDV26N	Insert Direct Vent, Millivolt, NG	109 lbs.	\$ 2,519.00	Υ
KFIDV26LP	Insert Direct Vent, Millivolt, LP	109 lbs.	\$ 2,585.00	N
KF26IDVCKLP	NG to LP Millivolt Conversion Kit	1 lbs.	\$ 87.00	Υ
Log Set or Glass S	Support Platform (One Required for Each Unit)			
KFLOGF27	Log Set - Fiber Split Oak (IDV26)	5.8 lbs.	\$ 457.00	Υ
KFRSP10	Glass Support Platform w/Bronze Decorative Glass for IDV26	21 lbs.	\$ 546.00	Y
<b>Choose Your Clea</b>	an View Kit (One Required)			
	Clean View Front - Slim - Measures 35 5/8"W x 22 3/4"H			
KFI26CV1BL	Clean View Front, Slim - Black - 1 3/4" Depth	12 lbs.	\$ 283.00	Υ
KFI26CV3BL	Clean View Front - Slim - Black - 3 1/2" Depth	13 lbs.	\$ 328.00	N
KFI26S1BL	Surround - Slim - Black - (Covers 42" W x 27 1/2"H)	10 lbs.	\$ 188.00	Υ
KFI26SUBL	Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	16 lbs.	\$ 269.00	N
	SERIES 1 - CLEAN VIEW FRONT - PICTURE FRAME 35 5/8"W X 25	7/8"H		
KFI26CVPF1BL	Clean View Front - Slim - Picture Frame - Black	12 lbs.	\$ 374.00	N
KFI26SPF1BL	Surround Picture Frame - Slim - Black - (Covers 39 3/8"W x 29 3/4" H)	10 lbs.	\$ 254.00	N
KFI26SUBL	Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	16 lbs.	\$ 269.00	N
	SERIES 2 - CLEAN VIEW FRONT - WIDE - MEASURES 44 5/8"W X 2	6 5/8"H		
KFI26CV2BL	Clean View Front - Wide - Black	16 lbs.	\$ 322.00	N
KFI26CVPF2BL	Clean View Front - Wide - Picture Frame - Black	23 lbs.	\$ 426.00	N
KFI26SUBL	Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H,	16 lbs.	\$ 269.00	N
KI IZOSOBL	Three Sided 47 1/2"W x 28 5/8" H)	10 103.	Ş 209.00	IN
Accessories/Opti	ons			
KFI33R40	Riser For Surround (2 1/2") - For Use on KFI33S4028B	3 lbs.	\$ 156.00	N
KFI33R44	Riser For Surround (2 1/2") - For Use on KFI33S4430B	3 lbs.	\$ 156.00	N
SD3DFAFC	3" Flex Connector - Normal SD discount applies - *Order 2*	N/A	\$ 25.96	Υ
KFIDV26RL	Refractory Brick Liner (3 Pce)	6 lbs.	\$ 318.00	N
KFIDV26PRL	Porcelain Reflective Panel Liner (3 Pce)	10 lbs.	\$ 356.00	Y
KFI33CS	Mantel Clearance Shield	7 lbs.	\$ 41.00	N

#### **KFIDV26 - Direct Vent Gas Fireplace Insert Item Name Ship Weight Item Code Retail Price** Stocked **Accessories/Options** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. 108.00 Υ KFZ80PT Thermostat Programmable Digital Millivolt Wall Mount 0.5 lbs. \$ 169.00 Ν KFGTRC Remote Control Millivolt - Thermostat 1 lbs. 295.00 Υ \$ KFGTMRCN Remote Control Millivolt - Thermostat/Modulating - NG 419.00 Υ 1 lbs. \$ \$ KFGTMRCP Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. 419.00 Υ Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A Υ ST1001A CATALOG **Venting Components** KFIDVVT36 Vertical Vent Termination - (3/3") 3.5 lbs. \$ 198.00 Υ KFIDVFK25 Flex Pipe Kit (2 x 3" Dia x 25' Gas Flex Liner) 19 lbs. \$ 432.00 Υ \$ KFIDVLCP Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") 5 lbs. 40.00 Ν \$ 21.00 KFZDV3FC Flex Connector 3" Diameter 1 lbs. Ν Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 1 lbs. 208.00 Ν Harness

# **KFIDV34 - Direct Vent Gas Fireplace Inserts**

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Controlled Blower, Two Three Inch Flues, 31,000 BTU/HR NG, 28,500 BTU/HR LP, Minimum Fireplace Opening Required 28 5/8" W x 21 1/2" H x 17 3/4" D

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View Kit

Best Selling Package	Retail
IDV34 Proflame 2 Insert, NG, Split Oak Log Set and Clean View Kit (KFIDV34NE2, KFLOGF35 and	¢ 2.067.00
KFI34CV1BL)	\$ 3,867.00

Item Code					
KFIDV34NE2         Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG         N/A         \$ 2,972.00           KFIDV34LPE2         Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP         N/A         \$ 3,028.00           KF33IDVCKLP2         Conversion Kit - IPI Proflame 2 - To NG         N/A         \$ 188.00           KF33IDVCKNG2         Conversion Kit - IPI Proflame 2 - To NG         N/A         \$ 2,184.00           KFIDV34N         Insert Direct Vent ( as above) - Millivolt - NG         N/A         \$ 2,240.00           KFIDV34LP         Insert Direct Vent ( as above) - Millivolt - LP         N/A         \$ 2,240.00           KFIDV34NE         Insert Direct Vent ( as above) - IPI - NG         96 lbs.         \$ 2,240.00           KFIDV34LPE         Insert Direct Vent ( as above) - IPI - NG         96 lbs.         \$ 2,240.00           KF33IDVCKLP         Conversion Kit - Millivolt - To LP         N/A         \$ 2,552.00           KF33IDVCKNG         Conversion Kit - Millivolt - To LP         1 lbs.         \$ 87.00           KF33IDVCKNGI         Conversion Kit - IPI - To LP         1 lbs.         \$ 102.00           KF33IDVCKNGI         Conversion Kit - IPI - To NG         1 lbs.         \$ 102.00           KF33IDVCKNGI         Conversion Kit - IPI - To NG         1 lbs.         \$ 402.00	Item Code	Item Name	Ship Weight	Retail Price	Stocked
KFIDV34LPE2         Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP         N/A         \$ 3,028.00           KF33IDVCKLP2         Conversion Kit - IPI Proflame 2 - To LP         #M/A         \$ 188.00           KF33IDVCKNG2         Conversion Kit - IPI Proflame 2 - To NG         N/A         \$ 188.00           KF1DV34N         Insert Direct Vent ( as above) - Millivolt - NG         N/A         \$ 2,240.00           KFIDV34LP         Insert Direct Vent ( as above) - Millivolt - LP         N/A         \$ 2,240.00           KFIDV34LPE         Insert Direct Vent ( as above) - IPI - NG         96 lbs.         \$ 2,496.00           KFIDV34LPE         Insert Direct Vent ( as above) - IPI - LP         N/A         \$ 2,552.00           KF33IDVCKLP         Conversion Kit - Millivolt - To LP         1 lbs.         \$ 87.00           KF33IDVCKLP         Conversion Kit - Millivolt - To NG         1 lbs.         \$ 87.00           KF33IDVCKNGI         Conversion Kit - IPI - To LP         1 lbs.         \$ 102.00           KF33IDVCKNGI         Conversion Kit - IPI - To NG         1 lbs.         \$ 102.00           Log Set or Glass Support (Required for Each Unit)         KFLOGF35         Log Set - Fiber Split Oak         12 lbs.         \$ 403.00           KF134CV1BL         D         Glass Support Platform - with Bronze Decorative Glass	Unit				
KF33IDVCKLP2         Conversion Kit - IPI Proflame 2 - To LP         #N/A         \$ 188.00           KF33IDVCKNG2         Conversion Kit - IPI Proflame 2 - To NG         N/A         \$ 188.00           KFIDV34N         Insert Direct Vent (as above) - Millivolt - NG         N/A         \$ 2,240.00           KFIDV34LP         Insert Direct Vent (as above) - IPI - NG         96 lbs.         \$ 2,496.00           KFIDV34LPE         Insert Direct Vent (as above) - IPI - NG         96 lbs.         \$ 2,496.00           KFIDV34LPE         Insert Direct Vent (as above) - IPI - NG         96 lbs.         \$ 2,496.00           KFIDV34LPE         Insert Direct Vent (as above) - IPI - NG         96 lbs.         \$ 2,496.00           KF33IDVCKLP         Conversion Kit - Millivolt - To LP         1 lbs.         \$ 87.00           KF33IDVCKLP         Conversion Kit - Millivolt - To NG         1 lbs.         \$ 87.00           KF33IDVCKNGI         Conversion Kit - IPI - To NG         1 lbs.         \$ 102.00           Log Set or Glass Support (Required for Each Unit)         KFLOGF35         Log Set - Fiber Split Oak         12 lbs.         \$ 403.00           KFRSP10         Glass Support Platform - with Bronze Decorative Glass         21 lbs.         \$ 403.00           KFI34CV1BL         Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16"	KFIDV34NE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	N/A	\$ 2,972.00	Υ
KF33IDVCKNG2         Conversion Kit - IPI Proflame 2 - To NG         N/A         \$ 188.00           KFIDV34N         Insert Direct Vent ( as above) - Millivolt - NG         N/A         \$ 2,184.00           KFIDV34LP         Insert Direct Vent ( as above) - Millivolt - LP         N/A         \$ 2,240.00           KFIDV34LPE         Insert Direct Vent ( as above) - IPI - NG         96 lbs.         \$ 2,496.00           KFIDV34LPE         Insert Direct Vent ( as above) - IPI - LP         N/A         \$ 2,552.00           KF3DV34LPE         Insert Direct Vent ( as above) - IPI - LP         N/A         \$ 2,552.00           KF33IDVCKLP         Conversion Kit - Millivolt - To LP         1 lbs.         \$ 87.00           KF33IDVCKNG         Conversion Kit - IPI - To LP         1 lbs.         \$ 87.00           KF33IDVCKNGI         Conversion Kit - IPI - To NG         1 lbs.         \$ 102.00           Log Set or Glass Support (Required for Each Unit)         KFLOG735         Log Set - Fiber Split Oak         12 lbs.         \$ 403.00           KFRSP10         Glass Support Platform - with Bronze Decorative Glass         21 lbs.         \$ 546.00           Clean View CV1 - (Required for Each Unit)           KF134CV1BL         Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" N/A         \$ 492.00           Surr	KFIDV34LPE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	N/A	\$ 3,028.00	N
Insert Direct Vent ( as above) - Millivolt - NG	KF33IDVCKLP2	Conversion Kit - IPI Proflame 2 - To LP	#N/A	\$ 188.00	N
Insert Direct Vent ( as above ) - Millivolt - LP	KF33IDVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To NG	N/A	\$ 188.00	N
KFIDV34NE         Insert Direct Vent ( as above) - IPI - NG         96 lbs.         \$ 2,496.00           KFIDV34LPE         Insert Direct Vent ( as above) - IPI - LP         N/A         \$ 2,552.00           KF33IDVCKLP         Conversion Kit - Millivolt - To LP         1 lbs.         \$ 87.00           KF33IDVCKNG         Conversion Kit - Millivolt - To NG         1 lbs.         \$ 87.00           KF33IDVCKNGI         Conversion Kit - IPI - To LP         1 lbs.         \$ 102.00           KF33IDVCKNGI         Conversion Kit - IPI - To NG         1 lbs.         \$ 102.00           Log Set or Glass Support (Required for Each Unit)         KFLOGF35         Log Set - Fiber Split Oak         12 lbs.         \$ 403.00           KFRSP10         Glass Support Platform - with Bronze Decorative Glass         21 lbs.         \$ 546.00           Clean View CV1 - (Required for Each Unit)           KFI34CV1BL         Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" N/A         \$ 492.00           Surrounds (for Additional Coverage)           KFI34S3927BL         Surround - Black (Covers 39" W x 27 5/16" H)         N/A         \$ 186.00           KF134SU4541BL         Surround Universal - Black (Covers 45" W x 41" H)         N/A         \$ 198.00           Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8" H x 14	KFIDV34N	Insert Direct Vent ( as above) - Millivolt - NG	N/A	\$ 2,184.00	Υ
RFIDV34LPE	KFIDV34LP	Insert Direct Vent ( as above) - Millivolt - LP	N/A	\$ 2,240.00	N
KF33IDVCKLP Conversion Kit - Millivolt - To LP KF33IDVCKNG Conversion Kit - Millivolt - To NG KF33IDVCKNG Conversion Kit - Millivolt - To NG KF33IDVCKNG Conversion Kit - IPI - To LP KF33IDVCKNG Conversion Kit - IPI - To LP KF33IDVCKNG Conversion Kit - IPI - To NG Log Set or Glass Support (Required for Each Unit) KFLOGF35 Log Set - Fiber Split Oak KFRSP10 Glass Support Platform - with Bronze Decorative Glass Clean View CV1 - (Required for Each Unit)  KFI34CV1BL Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D  Surrounds (for Additional Coverage) KFI34S3927BL Surround - Black (Covers 39" W x 27 5/16" H) KFI34SPF4131BL Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H) N/A \$ 186.00 KFI34SPF4131BL Surround Universal - Black (Covers 45" W x 41" H) Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8" H x 14 3/8"D) Clean View W/Backer Surround - Safety Screen - Black - (Covers 37 5/8"W KFI34CV6BL x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33  Riser for Surrounds (Raises Coverage Height by 2 1/2") KFI34R40 Riser For Surround (2 1/2") x 40" W N/A \$ 156.00	KFIDV34NE	Insert Direct Vent ( as above) - IPI - NG	96 lbs.	\$ 2,496.00	Υ
KF33IDVCKNG       Conversion Kit - Millivolt - To NG       1 lbs.       \$ 87.00         KF33IDVCKLPI       Conversion Kit - IPI - To LP       1 lbs.       \$ 102.00         KF33IDVCKNGI       Conversion Kit - IPI - To NG       1 lbs.       \$ 102.00         Log Set or Glass Support (Required for Each Unit)         KFLOGF35       Log Set - Fiber Split Oak       12 lbs.       \$ 403.00         KFRSP10       Glass Support Platform - with Bronze Decorative Glass       21 lbs.       \$ 546.00         Clean View CV1 - (Required for Each Unit)         KFI34CV1BL       Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" N/A       \$ 492.00         Surrounds (for Additional Coverage)         KFI34S3927BL       Surround - Black (Covers 39" W x 27 5/16" H)       N/A       \$ 186.00         KFI34S9F4131BL       Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)       N/A       \$ 198.00         Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)         Clean View W/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W         KFI34CV6BL       x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33         Riser for Surrounds (Raises Coverage Height by 2 1/2")         KFI34R40 <td< td=""><td>KFIDV34LPE</td><td>Insert Direct Vent ( as above) - IPI - LP</td><td>N/A</td><td>\$ 2,552.00</td><td>N</td></td<>	KFIDV34LPE	Insert Direct Vent ( as above) - IPI - LP	N/A	\$ 2,552.00	N
KF33IDVCKLPI       Conversion Kit - IPI - To LP       1 lbs.       \$ 102.00         KF33IDVCKNGI       Conversion Kit - IPI - To NG       1 lbs.       \$ 102.00         Log Set or Glass Support (Required for Each Unit)         KFLOGF35       Log Set - Fiber Split Oak       12 lbs.       \$ 403.00         KFRSP10       Glass Support Platform - with Bronze Decorative Glass       21 lbs.       \$ 546.00         Clean View CV1 - (Required for Each Unit)         KFI34CV1BL       Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" N/A \$ 492.00         Surrounds (for Additional Coverage)         KFI34S3927BL       Surround - Black (Covers 39" W x 27 5/16" H)       N/A \$ 186.00         KFI34S9PF4131BL       Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)       N/A \$ 240.00         KFI34SU4541BL       Surround Universal - Black (Covers 45" W x 41" H)       N/A \$ 198.00         Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8" H x 14 3/8"D)         Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W x 26 15/16" H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33         Riser for Surrounds (Raises Coverage Height by 2 1/2")         KFI34R40         Riser For Surround (2 1/2") x 40" W	KF33IDVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 87.00	Υ
Log Set or Glass Support (Required for Each Unit)   KFLOGF35	KF33IDVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 87.00	N
Log Set or Glass Support (Required for Each Unit)   RFLOGF35	KF33IDVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 102.00	Υ
KFLOGF35       Log Set - Fiber Split Oak       12 lbs.       \$ 403.00         KFRSP10       Glass Support Platform - with Bronze Decorative Glass       21 lbs.       \$ 546.00         Clean View CV1 - (Required for Each Unit)         KFI34CV1BL       Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D       N/A       \$ 492.00         Surrounds (for Additional Coverage)         KFI34S3927BL       Surround - Black (Covers 39" W x 27 5/16" H)       N/A       \$ 186.00         KFI34SPF4131BL       Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)       N/A       \$ 240.00         KFI34SU4541BL       Surround Universal - Black (Covers 45" W x 41" H)       N/A       \$ 198.00         Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)         Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W         KFI34CV6BL       x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33       \$ 686.00         Riser for Surrounds (Raises Coverage Height by 2 1/2")         KFI34R40       Riser For Surround (2 1/2") x 40" W       N/A       \$ 156.00	KF33IDVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 102.00	N
KFRSP10       Glass Support Platform - with Bronze Decorative Glass       21 lbs.       \$ 546.00         Clean View CV1 - (Required for Each Unit)         KFI34CV1BL       Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" N/A \$ 492.00         Surrounds (for Additional Coverage)         KFI34S3927BL       Surround - Black (Covers 39" W x 27 5/16" H)       N/A \$ 186.00         KFI34SPF4131BL       Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)       N/A \$ 240.00         KFI34SU4541BL       Surround Universal - Black (Covers 45" W x 41" H)       N/A \$ 198.00         Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8" H x 14 3/8"D)         Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33         Riser for Surrounds (Raises Coverage Height by 2 1/2")         KFI34R40         Riser For Surround (2 1/2") x 40" W       N/A \$ 156.00	Log Set or Glass S	Support (Required for Each Unit)			
Clean View CV1 - (Required for Each Unit)         KFI34CV1BL       Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D       N/A       \$ 492.00         Surrounds (for Additional Coverage)         KFI34S3927BL       Surround - Black (Covers 39" W x 27 5/16" H)       N/A       \$ 186.00         KFI34SPF4131BL       Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)       N/A       \$ 240.00         KFI34SU4541BL       Surround Universal - Black (Covers 45" W x 41" H)       N/A       \$ 198.00         Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)         Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33       N/A       \$ 686.00         Riser for Surrounds (Raises Coverage Height by 2 1/2")         KFI34R40       Riser For Surround (2 1/2") x 40" W       N/A       \$ 156.00	KFLOGF35	Log Set - Fiber Split Oak	12 lbs.	\$ 403.00	Υ
Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" N/A	KFRSP10	Glass Support Platform - with Bronze Decorative Glass	21 lbs.	\$ 546.00	Υ
Surrounds (for Additional Coverage)	Clean View CV1 -	(Required for Each Unit)			
KFI34S3927BL       Surround - Black (Covers 39" W x 27 5/16" H)       N/A       \$ 186.00         KFI34SPF4131BL       Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)       N/A       \$ 240.00         KFI34SU4541BL       Surround Universal - Black (Covers 45" W x 41" H)       N/A       \$ 198.00         Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)         Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W         KFI34CV6BL       x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33       N/A       \$ 686.00         Riser for Surrounds (Raises Coverage Height by 2 1/2")         KFI34R40       Riser For Surround (2 1/2") x 40" W       N/A       \$ 156.00	KFI34CV1BL		N/A	\$ 492.00	Y
KFI34SPF4131BL Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)  KFI34SU4541BL Surround Universal - Black (Covers 45" W x 41" H)  Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)  Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W  X 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33  Riser for Surrounds (Raises Coverage Height by 2 1/2")  KFI34R40 Riser For Surround (2 1/2") x 40" W  N/A \$ 156.00	Surrounds (for A	dditional Coverage)			
KFI34SU4541BL Surround Universal - Black (Covers 45" W x 41" H)  Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)  Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W  KFI34CV6BL x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening N/A \$ 686.00 as an IDV33  Riser for Surrounds (Raises Coverage Height by 2 1/2")  KFI34R40 Riser For Surround (2 1/2") x 40" W N/A \$ 156.00	KFI34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	N/A	\$ 186.00	Υ
Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)  Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33  Riser for Surrounds (Raises Coverage Height by 2 1/2")  KFI34R40 Riser For Surround (2 1/2") x 40" W N/A \$ 156.00	KFI34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	N/A	\$ 240.00	Υ
Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening N/A \$ 686.00 as an IDV33  Riser for Surrounds (Raises Coverage Height by 2 1/2")  KFI34R40 Riser For Surround (2 1/2") x 40" W N/A \$ 156.00	KFI34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	N/A	\$ 198.00	N
KFI34CV6BL x 26 15/16"H x 2 3/4"D) - Allows for an IDV <b>34</b> to fit in the Same Opening N/A \$ 686.00 as an IDV <b>33</b> Riser for Surrounds (Raises Coverage Height by 2 1/2")  KFI34R40 Riser For Surround (2 1/2") x 40" W N/A \$ 156.00	Clean View CV5/	6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8	B"D)		
KFI34R40 Riser For Surround (2 1/2") x 40" W N/A \$ 156.00	KFI34CV6BL	x 26 15/16"H x 2 3/4"D) - Allows for an IDV <b>34</b> to fit in the Same Opening	N/A	\$ 686.00	N
	Riser for Surroun	ds (Raises Coverage Height by 2 1/2")			
	KFI34R40	Riser For Surround (2 1/2") x 40" W	N/A	\$ 156.00	N
	KFI44R45	Riser For Surround (2 1/2") x 45" W	N/A		N
Fireplace Accessory Options	Fireplace Accesso	ory Options			
KFIDV33RL Refractory Brick Liner (3 PCE) 22 lbs. \$ 188.00	KFIDV33RL	Refractory Brick Liner (3 PCE)	22 lbs.	\$ 188.00	Υ
KFIDV33PRL Porcelain Reflective Panel Liner (3 PCE) 25 lbs. \$ 415.00	KFIDV33PRL	Porcelain Reflective Panel Liner (3 PCE)	25 lbs.	\$ 415.00	Υ

#### KFIDV34 - Direct Vent Gas Fireplace Inserts **Item Code Item Name** Ship Weight Retail Price Stocked **Thermostats, Remote Controls and Venting Components** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 1 lbs. \$ 108.00 Υ KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ Remote Control Millivolt - Thermostat 1 lbs. \$ 295.00 Υ KFGTRC Remote Control Millivolt - Thermostat/Modulating - NG \$ 419.00 Υ **KFGTMRCN** 1 lbs. **KFGTMRCP** \$ 419.00 Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. Υ \$ Υ KFEGTRC Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. 348.00 **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. \$ 473.00 Υ KFEGTMRCP Remote Control IPI Proflame 1 - Thermostat/Modulating - LP 1.3 lbs. \$ 473.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire **KFWMBH** 1 lbs. \$ 208.00 Ν KFIDVVT36 Vertical Vent Termination - (3/3"), Mill Pac and Screws 3.5 lbs. \$ 198.00 Υ KFIDVFK25 Flex Pipe Kit (2 x 3" Dia x 25FTGas Flex Liner) 19 lbs. \$ 432.00 Υ \$ 40.00 KFIDVLCP Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") 5 lbs. Ν Flex Connector 3" Diameter \$ KFZDV3FC 1 lbs. 21.00

### **KFIDV44 - Direct Vent Gas Fireplace Insert**

KFI44CV1BL)

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Speed Blower, 3" Air Intake 4" Exhaust, 34,250 BTU NG, 30,000 BTU LP, Minimum Fireplace Opening: 32 7/8" W x 25 3/4" H x 18"D

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View Kit

Best Selling Package	Retail
IDV44 Proflame 2 Insert, NG, Split Oak Log Set, Clean View Kit (KFIDV44NE2, KFLOGF36 and	d
VELACUARI)	\$ 4,479.00

**Item Code Item Name Ship Weight** Retail Price Stocked Unit KFIDV44NE2 Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG \$ 3,461.00 N/A Υ KFIDV44LPE2 Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP N/A \$ 3,520.00 Ν KF43IDVCKLP2 Conversion Kit - IPI Proflame 2 - To LP 188.00 N/A \$ Ν Conversion Kit - IPI Proflame 2 - To NG \$ KF43IDVCKNG2 N/A 188.00 Ν KFIDV44N Insert Direct Vent (as above) - Millivolt - NG N/A \$ 2,674.00 Ν KFIDV44LP Insert Direct Vent (as above) - Millivolt - LP N/A \$ 2,731.00 Ν Υ Insert Direct Vent (as above) - IPI - NG 2,986.00 KFIDV44NE N/A KFIDV44LPE Insert Direct Vent (as above) - IPI - LP N/A \$ 3,041.00 Ν KF36IDVCKLP Conversion Kit - Millivolt - To LP 1 lbs. \$ 87.00 Υ KF36IDVCKNG Conversion Kit - Millivolt - To NG 1 lbs. \$ 87.00 Ν \$ KF36IDVCKLPI Conversion Kit - IPI - To LP 1 lbs. 102.00 Υ KF36IDVCKNGI Conversion Kit - IPI - To NG 1 lbs. \$ 102.00 Ν Log Set or Glass Support Platform (Required for Each Unit) KFLOGF36 Log Set - Fiber Split Oak 12 lbs. \$ 537.00 Υ KFRSP10 Glass Support Platform - with Bronze Decorative Glass - IDV26/33/43 \$ Υ 21 lbs. 546.00 Clean View (Required for Each Unit) Clean View - Black - C/W Safety Screen - 39 9/16" W x 28 1/2"H x 13/16"D \$ KFI44CV1BL 481.00 Υ N/A **Surrounds (for Additional Coverage)** KFI44S4432BL Surround - Black (Covers 44" W x 32 1/16" H) N/A \$ 227.00 Υ Surround Picture Frame - Black (Covers 44" W x 36" H) Υ KFI44SPF4436BL \$ 283.00 N/A Surround Universal - Black (Covers 47" W x 42" H) \$ KFI44SU4742BL 232.00 N/A Ν Riser for Surrounds (Raises Coverage Height by 2 1/2") KFI44R45 Riser For Surround (2 1/2") x 45" W N/A \$ 156.00 Ν **Fireplace Accessory Options** Refractory Fiber Brick Liner (3 PCE) - Traditional KFIDV36RLT 22 lbs. \$ 239.00 Υ KFIDV36RLH Refractory Fiber Brick Liner (3 PCE) - Herringbone 22 lbs. \$ 239.00 Υ KFIDV36PRL Porcelain Reflective Panel Liner (3 PCE) 14 lbs. \$ 532.00 Υ

#### **KFIDV44 - Direct Vent Gas Fireplace Insert** Item Code **Item Name Ship Weight Retail Price** Stocked **Thermostats, Remote Controls and Venting Components** KFZ2MT Thermostat Digital - Vertical Wall Mount - MV/PF1 108.00 1 lbs. Υ KFZ80PT Thermostat Programmable Digital - Wall Mount - MV/PF1 0.5 lbs. \$ 169.00 Ν ST1001A Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) #N/A CATALOG Υ Remote Control Millivolt - Thermostat **KFGTRC** 1 lbs. 295.00 Υ \$ Remote Control Millivolt - Thermostat/Modulating - NG 1 lbs. \$ 419.00 Υ **KFGTMRCN** \$ Υ **KFGTMRCP** Remote Control Millivolt - Thermostat/Modulating - LP 1 lbs. 419.00 \$ **KFEGTRC** Remote Control IPI Proflame 1 - Thermostat 1.3 lbs. 348.00 Υ \$ 473.00 Υ **KFEGTMRCN** Remote Control IPI Proflame 1 - Thermostat/Modulating - NG 1.3 lbs. Remote Control IPI Proflame 1 - Thermostat/Modulating - LP \$ KFEGTMRCP 1.3 lbs. 473.00 Υ Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire \$ **KFWMBH** 208.00 1 lbs. Ν Harness \$ 208.00 KFIDVVT43 Vertical Vent Termination - (4/3"), (Mill Pac and screws) 4 lbs. Ν Flex Pipe Kit (3&4" Dia x 25FT Gas Flex Liner) \$ KFI43FK25 13 lbs. 442.00 Υ \$ KFI43LCP Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") 1 lbs. 40.00 Ν KFZDV3FC Flex Connector 3" Diameter \$ 21.00 1 lbs. Ν Flex Connector 4" Diameter \$ Υ KFZDV4FC 1 lbs. 21.00

4/7" Venti	ing Accessories			
Item Code	Item Name	Ship Weight	Retail Price	Stocked
KFZDVHSK	Horizontal Round Termination Vent Starter Kit - 3 FT Length	10 lbs.	\$ 276.00	Υ
	Horizontal Vent Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill	Pac.		
KFZDVHSKSQ	Horizontal Square Termination Vent Starter Kit - 3 FT Length	10 lbs.	\$ 325.00	Υ
	Horizontal Vent Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill	Pac.	•	
KFZDVHSK5	Horizontal Round Termination Vent Starter Kit - 5 FT Length	11.5 lbs.	\$ 341.00	Υ
	Horizontal Vent Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill	Pac.		
KFZDVHSKSQ5	Horizontal Square Termination Vent Starter Kit - 5 FT Length	11.5 lbs.	\$ 393.00	Υ
	Horizontal Vent Termination, Wall Thimble, 60" Flex Pipe, Screws,	Mill Pac.		
KFZDVFK5	Flex Kit (4" Stainless & 7" Aluminum - Dia.) 5 FT	5 lbs.	\$ 187.00	Υ
KFZDVFK8	Flex Kit (4" Stainless & 7" Aluminum - Dia.) 8 FT	8.3 lbs.	\$ 263.00	Υ
KFZDVFK20	Flex Kit (4" Stainless & 7" Aluminum - Dia.) 20 FT	19 lbs.	\$ 497.00	Υ
	*Kits are complete with Springs, Screws, Mill Pac.		•	•
KFFDVVT40	Vertical Vent Termination - Convertible Between 15' & 40' Vertical	3.5 lbs.	\$ 202.00	Υ
KFFDVHT	Horizontal Vent Termination	3 lbs.	\$ 188.00	Υ
KFFDVHSQ	Horizontal Square Vent Termination	3 lbs.	\$ 232.00	Υ
KFFDVHSS	Horizontal Stucco Shield	3 lbs.	\$ 61.00	N
KFFDVHSCU	Safety Cage Universal for Horizontal Termination	2 lbs.	\$ 122.00	N
KFZDV4FC	Flex Connector 4" Diameter	1 lbs.	\$ 21.00	Υ
KFZDV7FC	Flex Connector 7" Diameter	1 lbs.	\$ 31.00	Υ
KFZDV4FCL	Flex Clamp 4"	1 lbs.	\$ 16.00	Υ
KFZDV7FCL	Flex Clamp 7"	1 lbs.	\$ 17.00	Υ
KFZDV4SS	Spring 4" Standoff Spacer	0.1 lbs.	\$ 16.00	Υ
KFMDV38IS*	Insulation Sleeve 3' - for Low Enclosures	1 lbs.	\$ 58.00	N
KFZDVAIS	Attic Insulation Shield	4.5 lbs.	\$ 101.00	Υ
KFZDVVOS	Offset Support	1 lbs.	\$ 43.00	Υ
KFZDVFS	Firestop Spacer	1 lbs.	\$ 43.00	Υ
KFZDVRS	Roof Support	3 lbs.	\$ 62.00	Υ
KFZDVWT	Wall Thimble (Horizontal Venting)	4.5 lbs.	\$ 94.00	Υ
KFZDVSS	Siding Shield - Heat Deflector for KFFDVHT Round Termination	2 lbs.	\$ 30.00	Y
KFZDVSSLR	Siding Shield - Large Return - 2003	1.5 lbs.	\$ 72.00	Y
KFZ47GP36	Galvanized Pipe 4/7"x 36" (Vertical Installations)	5 lbs.	\$ 199.00	Y
KFZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	3 lbs.	\$ 120.00	Y
KFZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	3 lbs.	\$ 136.00	Y
KFZDVAF3	Flashing 7" c/w Storm Collar Flat	3 lbs.	\$ 159.00	Y
KFZDV7SC	Storm Collar 7"	1 lbs.	\$ 23.00	Υ
KFZDVDKA	Dura-Vent Stove Adapter (for Direct Vent Stoves and ZCVRB47)	2 lbs.	\$ 76.00	Υ
KFZDVDFA	Dura-Vent/ICC Fireplace Adapter (for MDV31, HBZDV36/42/47, ZCV39/42, ZCV3622, ZCVRB3622	2.5 lbs.	\$ 119.00	Υ
KFZ58DFA	5/8" Hard Pipe Adapter	3 lbs.	\$ 150.00	Υ
KFZDVDIA	Duravent Hard Pipe Adapter - Used to Connect 4x6-5/8" to 5/8" Hard Pipe at Termination End		\$ 178.00	Y
ICTM4AA4	4" Angled Kingsman Adapter	2 lbs.	\$ 189.00	Υ
ICTM4AA5	4/7" Straight Kingsman Adapter	1.2 lbs.	\$ 71.00	Y
	T// Juligili Milgallali Adaptel	1.4 103.	7 / 1.00	1 '

#### 5/8" Venting Accessories **Item Code Item Name Ship Weight Retail Price Stocked** KFZ58HSK5 Horizontal Vent Starter Kit - 5/8" X 5 FT Flex, Termination, Wall Thimble 11.5 lbs. \$ 392.00 Υ \$ KFZ58HT Horizontal Round Vent Termination - 5/8 4 lbs. 208.00 Ν KFZ58WTS Horizontal Wall Thimble Shield (For Low Enclosures) 4.5 lbs. \$ 44.00 Ν **KFFDVHSCU** Horizontal Safety Cage 2 lbs. \$ 122.00 Ν KFZ58WT Horizontal Wall Thimble 4.5 lbs. \$ 94.00 Ν Siding Shield - Heat Deflector for Horizontal Round Termination 1.5 lbs. \$ 30.00 KFZ58SS Ν KFZ58SSLR Siding Shield - Large Return - for Square or Round Terminations 1.5 lbs. TBD Ν KFZ58VT Vertical Vent Termination - 5/8 4 lbs. \$ 228.00 Υ KFZ58AIS24 Attic Insulation Shield - 24" 8 lbs. \$ 141.00 Υ **KFZDVVOS** 1 lbs. \$ 43.00 Υ Offset Support \$ Υ KFZ58FS Firestop Spacer 1 lbs. 52.00 \$ KFZ58RS **Roof Support** 3 lbs. 80.00 Ν \$ KFZ58GP36 Galvanized Pipe 5/8" Dia. x 36" (Vertical Installations) 5 lbs. 230.00 Υ Flashing 8" c/w Storm Collar (1/12 to7/12) 3 lbs. \$ 176.00 Υ KFZ58AAF Flashing 8" c/w Storm Collar (8/12 to 12/12) \$ KFZ58AF2 3 lbs. 197.00 Ν KFZ58AF3 Flashing 8" c/w Storm Collar - Flat 3 lbs. \$ 176.00 Ν KFZDV8SC Storm Collar 8" 1 lbs. \$ 37.00 Ν \$ Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac) 5 lbs. 200.00 KFZ58FK5 Ν \$ Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac) 8.25 lbs. 283.00 Υ KFZ58FK8 KFZ58FK20 Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac) 19 lbs. \$ 543.00 Υ \$ KFZDV5FC Flex Connector 5" Diameter 1 lbs. 26.00 Υ Flex Connector 8" Diameter \$ KFZDV8FC 1 lbs. 35.00 Υ \$ Υ KFZDV5FCL Flex Clamp 5" 1 lbs. 17.00 \$ KFZDV8FCL Flex Clamp 8" 1 lbs. 19.00 Ν KFZDV4SS Spring - Standoff Spacer for Inner Pipe 0.1 lbs. \$ 16.00 Υ \$ Hard Pipe Adapter - 5/8" - MCVST42/MCVP42 3 lbs. Υ KFZ58DFA 150.00 \$ 5" Kingsman Adapter Υ ICTM5AA1 6 lbs. 135.00

5/8" Powe	er Vent Accessories			
	Note: Must use a one foot section of 5/8 DV hard pipe connected to the power	vent on all insta	allations.	
	, , , , , , , , , , , , , , , , , , ,			
Item Code	Item Name	Ship Weight	Retail Price	Stocked
KFPVH58	Horizontal Power Vent Starter Kit - Termination, Wall Thimble, 20 Ft			
	Wiring Harness and Mill Pac - Control Module Required (not Included)	18 lbs.	\$ 1,851.00	) Y
KFPVH58FM	Horizontal Power Vent Kit - Flush Mount - Termination, Wall Thimble, 20	N/A		
	FT Harness, Mill Pac - Control Module Required (not Included)		\$ 2,173.00	N
Must Choose I	Power Vent Control Module Type			
KFPVC58MV	Power Vent Control Module - Required for Millivolt models	4.35 lbs.	\$ 1,440.00	N
KFPVC58IPI	Power Vent Control Module - Required for IPI models	2.75 lbs.	\$ 1,440.00	N
KF584X12	Harness for Proflame 2 IPI - Deluxe Models	N/A	\$ 121.00	Υ
<b>Choose Appro</b>	priate Length of Extension Harness			
	(Distance from the power vent to the appliance)			
KFPVH20H	Harness Extension - 20 FT	3 lbs.	\$ 572.00	Υ
KFPVH50H	Harness Extension - 50 FT	N/A	\$ 869.00	N
Choose Type o	of Venting - Hard Pipe or Flex Vent			
KFZ58DFA	Hard Pipe Adapter - 5/8" - MCVST42/MCVP42	3 lbs.	\$ 150.00	Υ
	Flex Pipe Adapter Kit - (to adapt flex pipe to power vent to hard pipe.			
KFZ58PVA	(Must use a one foot section of 5/8 DV hard pipe connected to the power	1.3 lbs.	\$ 61.00	N
	vent on all installations.)			
Adapters				
KFZDVDRA	Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER (Used at Flue of	N1/A	ć 170.00	N
	Fireplace)	N/A	\$ 178.00	N
KFZDVDIA	Duravent Hard Pipe Adapter - (Used to Connect 4x6-5/8 to 5/8 Hard Pipe)	1.3 lbs.	\$ 178.00	Υ
Flex Venting K	its			
KFZ58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	5 lbs.	\$ 200.00	N
KFZ58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	8.25 lbs.	\$ 283.00	Υ
KFZ58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	19 lbs.	\$ 543.00	Υ
KFZDV5FC	Flex Connector 5" Diameter	1 lbs.	\$ 26.00	Υ
KFZDV8FC	Flex Connector 8" Diameter	1 lbs.	\$ 35.00	Υ
KFZDV5FCL	Flex Clamp 5"	1 lbs.	\$ 17.00	Υ
KFZDV8FCL	Flex Clamp 8"	1 lbs.	\$ 19.00	N
KFZDV4SS	Spring - Standoff Spacer for Inner Pipe	0.1 lbs.	\$ 16.00	Υ
KFPVH58WT	Wall Thimble for Power Vent	4.5 lbs.	\$ 128.00	N

Literature			
Kingsman Literature			
KFZBROB016	Kingsman Gas Fireplace Full Brochure		
KFZBROB017	Kingsman Gas Fireplaces, Inserts and Freestanding Stoves Brochures		
KFZBROB030	Kingsman FDV350 Freestanding Direct Vent Gas Stove Brochure		
KFZBROB034	Kingsman ZDV3318/3622 Zero Clearance Direct Vent Gas Fireplace Brochure		
KFZBROB042	Kingsman VFI2525/VFI30 Vented Gas Fireplace Insert Brochures		
KFZBROB043	Kingsman IDV33/IDV36 Direct Vent Gas Fireplace Insert Brochures		
KFZBROB045	Kingsman FDV200S Vented Freestanding Gas Stove Brochures		
KFZBROB048	Kingsman MDV33/39 Direct Vent See-Thru Fireplace Brochures		
KFZBROB050	Kingsman HBZDV3624/28/4224/28 Zero Clearance Gas Fireplace Brochures		
KFZBROB051	Kingsman HBZDV4740/4232/3632 Zero Clearance Gas Fireplace Brochures		
KFZBROB073	Kingsman KFZDVRB3622 Zero Clearance Direct Vent Gas Fireplace Brochure		
KFZBROB076	Kingsman IDV26/36 Direct Vent Brochure		
KFZBROB078	Kingsman ZRB46 Skyline II Brochure		
KFZBROB080	Kingsman ZCV34/39/42 Brochure		
KFZBROB084	Kingsman MCVP42 Brochure		
KFZBROB085	Kingsman MCVST42 Brochure		
KFZBROB086	Kingsman ZVFCV39/42/47 Vent Free Brochure		
KFZBROB087	Kingsman FDV451 Brochure		
KFZBROB098	Kingsman VRB46 Brochure		
KFZBROB099	Kingsman HBZDV4736 Brochure		
KFZBROB102	Kingsman ZCVRB47/60 Brochure		
KFZBROB103	Kingsman IDV24/34/44 Brochure		
ZZKFBANNER	Kingsman Banner w/Stand		



### **Dealer Service Support Policy**

AES and our Appliance Vendor will provide our dealers technical training to ensure safe installation and professional service on our products. This training will be provided at the time you are set up as a dealer, at the time we introduce new products or at special training events conducted from time to time. We will provide this training to your installation and service staff at your place of business or an AES facility at a mutually agreeable time. It is your responsibility to get your staff to this training as needed and make the scheduling commitment so they can receive this training. It is the dealers responsibility to provide their service and installation personnel with the tools, installation and testing equipment needed to provide safe installation and professional service on hearth appliances.

The training we provide is product specific and does not replace the general level of training required for safe installation and professional service that can only be obtained through HPBA "Hearth" supported certification training that provides a general level of understanding of installation and service practices for our industry's equipment.

### **Service Support**

Our vendors, for the most part, will <u>not</u> provide technical support directly to dealers and, for sure, <u>not</u> to consumers. AES will provide technical support on the products we sell to our dealers or their personnel, but we will <u>not</u> provide that support to consumers. Each consumer contact will be directed back to the closest authorized dealer. In the event that a dealer is no longer in business to service a product, AES Inside Sales will assist a consumer on how to contact another servicing dealer in the area.

AES does not sell appliances over the internet, nor do we support our dealers selling appliances over the internet. A consumer should only be buying our appliances from a local servicing authorized dealer who is approved and has training and support to sell and service our products. If a consumer buys a product outside of a dealer's service area or through a non-approved channel, or if they do the installation themselves, they have made the decision to provide their own service and technical support. AES does not support any sales channel other than our approved dealer list.

### **AES Phone Support**

Dealers should contact any AES inside sales personnel Monday - Friday between the hours of 8:00 – 5:00 to gain technical support on products we sell. All AES sales staff receive technical training from our vendors and most are already NFI certified (the rest have been working to become "Hearth Certified"). We are committed to providing industry leading support to our dealers.

Prior to providing technical support on the phone our inside sales staff will require the dealer to have on hand the unit serial number along with the product model number and installation specific's. We request the dealer have an internet/smart phone connection at the time they call in, if at all possible, or at a minimum to have on hand a copy of the owner's manual for the product. Experience has shown that a picture or other information which can be quickly shared over the internet can aid in effective and accurate communication for both sides of the phone call. It is our goal to review technical issues/questions while the tech is on the jobsite and hopefully avoid any further call backs.

### **AES Personnel Support**

AES personnel will not make field service calls without a qualified dealer representative or the <u>paid</u> designated installing contractor who did the installation or service. AES personnel will not make field calls at the direction of consumers or to any consumer who bought a product other than through our approved dealer list. Further, AES personnel will not make a field service call on any appliance that was installed by anyone other than our dealer or their designated installer.

### **Field Service Call Procedure**

The products we sell will require field service. This will be required either as a normal service call or as a warranty service. The following is the process by which AES will make calls with a dealer to a product installed in a consumer's home.

- 1) First Service Call on any appliance is expected to be made by the selling dealer. If the dealer is not able to affect a successful result or diagnosis, the dealer should contact AES Inside Sales staff while at the consumer's home in an attempt to get support needed to resolve the service issue at this time.
- 2) Second Service Call for the same appliance on the same issue is expected to be made by the selling dealer. Prior to the second call which is required because the repair could not be affected during the first call the dealer service personnel should contact AES Inside Sales staff. Obviously, it does not make sense to go out to the home a second time without having additional information to support a more thorough and successful second service call. If the repair is not affected at the time of the second service call do not leave the site! Call AES Inside Sales again for support on the installation. Attempt to talk with the same inside sales person for support as you did prior.
- 3) Third Service Call If AES Inside Sales have been involved in the first two service calls and have obtained complete information from the dealer which may include photo's and a successful repair has not been achieved, then AES Inside Sales will direct the AES Outside Territory manager to make a service call at the installation site at the soonest possible time. Dealer service personnel will be required to be on site with the AES staff. It is the dealer's responsibility to have their own testing and calibration equipment during this service call.

